

The Pilot's Manual

Instrument Rating Syllabus

Fourth Edition

A Flight & Ground Training Course for the Instrument Rating based on

The Pilot's Manual: Instrument Flying Meets Part 61 and 141 Requirements





The Pilot's Manual

Instrument Rating Syllabus

Fourth Edition

A Flight & Ground Training Course for the Instrument Rating based on

The Pilot's Manual: Instrument Flying Meets Part 61 and 141 Requirements

by Jackie Spanitz

Includes Appendix for using a Basic ATD as a loggable training device.

The Pilot's Manual: Instrument Rating Syllabus Fourth Edition
by Jackie Spanitz

@1995-2010 Aviation Supplies & Academics, Inc. All rights reserved. Fourth Edition published 2010.

Aviation Supplies & Academics, Inc. 7005 132nd Place SE Newcastle, Washington 98059-3153 425.235.1500

Internet: www.asa2fly.com Email: asa@asa2fly.com

Printed in the United States of America

2014 2013 2012 2011 2010 9 8 7 6 5 4 3 2 1

ASA-PM-S-I4

ISBN 1-56027-886-2 978-1-56027-886-3

03

Contents

	About this Syllabus	v
	Compliance Table	vii
	Enrollment/Graduation Certificates	ix
Stage 1	Instrument Flight	4
Otage 1	Module 1	
	Module 2	
	Module 3	
	Module 4	
	Module 5	
	Optional Review	
Stage 2	Navigation	o
Stage 2	Module 1	
	Module 2	
	Module 3	
	Module 4	
	Module 5	
	Optional Review	
01	. Half as Board as	, -
Stage 3	Holding Procedures	
	Module 1	
	Module 2	
	Module 3	
	Module 4	
	Module 5 Optional Review	
	Optional Review	24
Stage 4	Instrument Approaches	25
	Module 1	27
	Module 2	28
	Module 3	29
	Module 4	30
	Module 5	31
	Optional Review	32
Stage 5	En Route & Prep for Checkride	33
	Module 1	35
	Module 2	36
	Module 3	37
	Module 4	38
	Module 5	39
	Optional Review	40
	Instrument Rating Endorsements and Checkride List	41
Airman Certif	ficate Application FAA Form 8710-1	43
Appendices	Stage Exams 1–5	
	Basic ATD Syllabus	
	•	

About This Syllabus

Course Objective:

The objective of this syllabus is for the student to gain the necessary aeronautical skill, knowledge and experience to meet the requirements of an Instrument Rating with an Airplane category and a Single-Engine Land class rating.

Prerequisites:

The student must be able to read, speak, write, and understand the English language, meet the physical standards for a third-class medical certificate, and possess either a Private Pilot or Commercial Pilot certificate with an Airplane category and Single-Engine Land class rating.

Experience Requirements for an Instrument Rating Include:

35 hours of instrument experience for Part 141 (40 hours for Part 61 programs, 15 hours of which must be with an Instrument Instructor)

50 hours cross-country PIC (Part 61 programs)

30 hours of ground training (no minimum time is specified for Part 61 programs)

Instrument Rating Course:

The Instrument Rating is made up of 2 requirements: Aeronautical Skill and Aeronautical Knowledge. This syllabus is written to satisfy 14 CFR Part 141 requirements. With the addition of 5 instrument training flight hours and 50 hours cross-country PIC experience, this syllabus will be equally effective for 14 CFR Part 61 programs. The syllabus is organized into five Stages, with five Modules in each Stage. Each stage must be completed in _____ days, not to be more than 90 days. Each Module contains both a flight and ground lesson. This presents an integrated flight training process and will promote easier learning and a more efficient flight training program. Ideally, the ground lesson will be completed prior to the flight.

Testing Procedures:

Each module contains a reading assignment associated with the ground training program. The review questions following each chapter will test the student's understanding of the material covered throughout the ground lesson, and must be answered prior to moving on to the next module. A Stage Exam is included with each stage, testing the student on both the ground and flight training material covered throughout the stage. This exam must be passed with a minimum score of 80%, and reconciled to 100%, in order to proceed to the next Stage.

It is essential that the objective of each module be accomplished before moving on to the next module.

Minimum Requirements:

The time necessary for the syllabus to qualify for Part 141 operations includes meeting 35 hours of instruction experience (40 hours for Part 61 programs, 15 of which must be with an Instrument Instructor), and 30 hours of ground instruction. This is a *minimum* time—many factors play into the finishing flight time: frequency of flying, cooperative weather, airplane and instructor scheduling, and lapses in the flight training process. It is recommended the student fly at least twice a week. This type of schedule produces the most efficient training, and cuts down on review time. If there is a lapse in between flights, it may be necessary to review maneuvers; use the optional review flights accompanying each Stage for this purpose (this will allow the student to continue following the syllabus, which is necessary for a 141 program). Students are also encouraged to maintain training proficiency with a Basic Aviation Training Device (BATD). See Appendix 6 for details on integrating this technology into the training curriculum. The student should feel comfortable performing each task in all previous modules before progressing to the next stage. If student exceeds more than _____ hours of the minimum 141 recommended time allotted per module, the chief flight instructor must be informed.

Note: Although there is no requirement for instrument solo flight, it is suggested the student perform IFR procedures with a safety pilot for additional practice. See 14 CFR § 91.109 for Safety Pilot requirements.

Basic ATDs

The Federal Aviation Administration has formally recognized the potential of computer-based training devices for use in general aviation instrument flight training curricula. A qualified Basic Aviation Training Device (BATD) is highly beneficial when used under the guidance of an authorized instructor to obtain the aeronautical knowledge and skills required for an instrument rating. See Appendix 6 for details on implementing Basic ATDs into an integrated flight and ground training instrument curriculum.

Although federal aviation regulations require only 35 hours of instrument flight training for an instrument rating, the national average training time is closer to 65 hours. Basic ATDs are superb instructional tools, taking the teaching process out of a hostile environment (the training airplane) and putting it on the computer. All aspects of the training curriculum should be taught to some performance level on the ground before demonstrating competence in the airplane. This positive transfer of learning will greatly reduce the flying hours spent working on earning the instrument rating.

Required Materials for the Instrument Rating Course:

• *Instrument Flying* (#ASA-PM-3)

Recommended Materials for the Instrument Rating Course:

- FAA Instrument Practical Test Standards (referred to as PTS) (#ASA-8081-4)
- ASA FAR/AIM (#ASA-FR-AM-BK, updated annually)
- ASA *Instrument Rating Test Prep* book (#ASA-TP-I), Prepware software (#ASA-TW-I), or Virtual Test Prep DVD Ground School (#ASA-VTP-I)
- ASA Instrument Oral Exam Guide (#ASA-OEG-I)
- ASA Flight computer (E6-B or CX-2 Pathfinder)
- ASA Instrument Plotter (#ASA-CP-IFR)
- View limiting device such as Jiffyhood (#ASA-H2G), Hoodwink (#ASA-HOODWINK), or Overcasters (#ASA-OVC)
- ASA Flightlogs for cross-country flights (#ASA-FP-2)
- Low Altitude Enroute Chart for local area
- Sectional for local area
- Airport/Facility Directory for local area
- ASA On Top Basic ATD (#ASA-BATD)

The syllabus uses *The Pilot's Manual: Instrument Flying* for the ground training program. The review following each chapter should be finished with the assigned reading. This text contains an index which will help pinpoint the material for the subject you are working on. ASA's *Instrument Rating Test Prep* is recommended to enhance the program. The prep will ensure the student is completely prepared for the FAA Knowledge Exam upon completion of the course. Instructors using this syllabus must ensure current Practical Test Standards are upheld and the procedures outlined in the *Instrument Flying Handbook* (FAA-H-8083-15) are maintained at all times.

If you have any comments or questions on how to best use this syllabus, please call ASA at 1-800-ASA-2-FLY. We will be happy to provide suggestions on how to tailor this syllabus to specifically meet your training needs. Note to Instructors: Answers to the Stage Exams are available to instructors by calling 1-800-ASA-2-FLY, or you can fax your request on letterhead to 1-425-235-0128.

Part 141 Registration—Instrument Rating

Visit www.asa2fly.com/register to register your Part 141 program using this curriculum and ASA will help you stay current with industry and regulatory changes which may affect your Part 141 curriculum.

Instrument Rating Minimum Course Hours

For Part 141, Appendix C Compliance

These times are for student/instructor guidance only. They are a suggested time schedule which will ensure minimum flight and ground training compliance with 14 CFR Part 141. To follow a Part 61 curriculum, add 5 hours of instrument training, for a total of 40 hours. Also, Part 61 instrument rating applicants are required to have 50 hours cross-country PIC time.

Note: Ground Instruction should include classroom discussion, and pre- and post-flight briefings. The stage exams may not be credited for more than 5 hours of the 30 hours of required ground training, and the stage checks may not be credited for more than 5 hours of the required 35 hours of flight training.

Page		Ground Instruction	Dual Instrument Flight	Dual Instrument Cross-Country	Done
01	Stage 1				
03	Module 1	1.5	1.5		
04	Module 2	1.0	1.0		
05	Module 3	1.0	1.0		
06	Module 4	1.0	1.0		
07	Module 5	1.5 + Stage Exam	1.5 + Stage Check		
08	* Review	1.5	1.5		
09	Stage 2				
11	Module 1	1.5	1.5		
12	Module 2	1.0	1.0		
13	Module 3	1.0	1.0		
14	Module 4	1.0	1.0		
15	Module 5	1.5 + Stage Exam	1.5 + Stage Check		
16	* Review	1.5	1.5		
17	Stage 3				
19	Module 1	1.5	1.5		
20	Module 2	1.0	1.0		
21	Module 3	1.0	1.0		
22	Module 4	1.0	1.0		
23	Module 5	1.5 + Stage Exam	1.5 + Stage Check		
24	* Review	1.5	1.5		
25	Stage 4				
27	Module 1	1.5	1.5		
28	Module 2	1.0	1.0		
29	Module 3	1.0	1.0		
30	Module 4	1.5	1.5		
31	Module 5	1.5 + Stage Exam	1.5 + Stage Check		
32	* Review	1.5	1.5		
33	Stage 5				
35	Module 1	1.5	2.0	2.0	
36	Module 2	1.0	2.0	2.0	
37	Module 3	1.5	3.5	3.5	
38	Module 4	1.0	1.5		
39	Module 5	1.5 + Stage Exam	1.5 + Stage Check		
40	* Review	1.5	1.5		
	TOTALS	30.0 + Stage Exams	35.0 + Stage Checks	7.5	

^{*} Reviews are not necessary to meet Part 141 compliance, and are not counted in the TOTALS for the program. They are optional, and should be used if the student is not ready to move on to the next module.

Enrollment Certificate This is to certify that Student Name is enrolled in the Federal Aviation Administration approved Instrument Rating Course, conducted by School and Certificate Number Chief Instructor Date of Enrollment

Graduation Certificate This is to certify that Pilot Name and Number has satisfactorily completed each required stage of the approved course of training including the tests for those stages, and has received _____ hours of cross-country training. _____ has graduated from the Federal Aviation Administration approved Instrument Rating Course conducted by School and Certificate Number Chief Instructor Date of Graduation

Stage 1

Instrument Flight

Objective

The objective of Stage 1 is for the student to become proficient in, and have an understanding of the following:



Ground Training

- · Course objective
- School requirements, procedures, regulations
- Grading criteria
- Instrument scan techniques
- IFR Instruments
- Straight-and-level flight
- · Straight climb and descent
- Turning
- Unusual flight attitudes
- Normal instrument flight on a partial panel
- Training maneuvers used for instrument flight



Flight Training

- Flight training process
- · Training airplane
- Instrument preflight
- Aircraft systems related to IFR operations
- Instrument cockpit check
- Flight by reference to instruments:
 straight-and-level flight
 change of airspeed
 constant airspeed climbs and descents
 rate climbs and descents
 timed turns to magnetic compass headings
 Steep Turns
 recovery from unusual flight attitudes
 - recovery from unusual fight attitudes
- Loss of gyro attitude and/or heading indicators
- · Checking instruments and equipment post flight

Note: The patterns used in this Stage can be found in *Instrument Flying*, Chapter 9.

Completion Standards

Stage 1 is complete when the student achieves the objective of each lesson, and can list or describe the correct process or reference for accomplishing elements, exercises and activities. Student shall score at least 80% on the Stage 1 Exam, and all deficient areas shall be reconciled to 100%.



Ground Training

Objective:

For the student to have an understanding of the Instrument Rating course, and instrument scanning techniques.

Content:
Review of course and objectives
School requirements, procedures, regulations
Grading criteria, expectations of student
Review objective of Stage 1
Instrument scanning technique
Selective radial scan
Basic T-scan
Other scans
Completion Standards:
This lesson is complete when the student has successfully completed all review questions following the assigned reading.
Assignment:
Instrument Flying, Introduction and Chapters 1 and 2
This lesson may be completed using BATD Lesson 1.
See Appendix 6.

Minimum 141 Requirements: Dual, Instrument

Dual, Instrument 1.5 hours flight

1.5 hours ground instruction



Flight Training

Objective:

For the student to be introduced to the Instrument Rating course and become familiarized with the training airplane, instrument preflight, and straight-and-level instrument flight.

Content:
Discussion of flight training process
Introduction to the training airplane
Instrument preflight inspection and aircraft documents
Use of checklists
Normal takeoff
Instrument scan
Straight-and-level flight
Pattern A (see Chapter 9, Instrument Flying)
Pattern B (see Chapter 9, Instrument Flying)
Pattern C (see Chapter 9, Instrument Flying)
Radar vectors, VOR approach (demonstrated)
Postflight

Completion Standards:

This lesson is complete when the student can conduct an efficient instrument preflight and scan, and can maintain altitude within 200 feet, airspeed within 20 knots, and heading within 20 degrees, while performing the maneuvers listed in the content of this module.

Recommended Reading:

Instrument Flying

Stage 1 / Mod	lule 1	
Date of Compl	etion:	
Signature:		
Time Flown:_		
Aircraft	BATD	Other



Ground Training

Objective:

For the student to gain an understanding of the aircraft instruments used in instrument flight, and the concept of flying straight-and-level under instrument conditions.

Content:

Instruments
Attitude indicator
Power indicators
Airspeed indicator
Heading indicator
Altimeter
Vertical speed indicator
Turn coordinator and turn indicator
Magnetic compass
Clock
Pitot-static system
Gyroscopes
Preflight checks of flight instruments
PFD (if training aircraft warrants)
Straight-and-level flight
Control instruments
Performance instruments
3 fundamentals of instrument flying
Trimming
Cruise speeds vs. pitch attitudes
Maintaining heading
Maintaining altitude
Recovering from slightly unusual attitudes
Coping with a faulty attitude indicator
Power vs. speed
Changing configuration
Completion Standards:

This lesson is complete when the student has successfully completed all review questions following the assigned reading.

Assignment:

Instrument Flying, Chapters 3 and 4

Minimum 141 Requirements: Dual, Instrument

1.0 hours flight 1.0 hours ground instruction



Flight Training

Objective:

For the student to become acquainted with the aircraft systems related to IFR operations, the instrument cockpit check, and to become proficient in flight by reference to instruments while maintaining changes of airspeed, and constant airspeed climbs and descents.

Content:
Discussion of aircraft systems related to IFR operations
Instrument cockpit check and preflight
Normal takeoff
Instrument scan
Straight-and-level flight
Standard rate turns
Demonstrate effects of change of airspeed
Constant airspeed climbs and descents
Pattern D (see Chapter 9, Instrument Flying)
Pattern E (see Chapter 9, Instrument Flying)
Pattern F (see Chapter 9, Instrument Flying)
Radar vectors, ILS approach (demonstrated)
Postflight
Completion Standards:

This module is complete when the student can effectively control the airplane within 200 feet, 20 degrees, and 20 knots, and perform standard rate turns, while performing the maneuvers listed in the content of this module.

Recommended Reading:

Instrument Flying



This lesson may be completed using BATD Lesson 2. See Appendix 6.

Stage 1 / Mod	lule 2	
Date of Comple	etion:	
Signature:		
Time Flown:		
Aircraft	BATD	Other



Ground Training

Objective:

For the student to gain an understanding of the straight climb and descent, and turning during instrument flight.

Content:

The straight climb
Climbing at different airspeeds
Variations on entering the climb
Climbing at a particular rate
Climbing into clouds after takeoff
The straight descent
Climbing away from a descent
Descending at a particular rate
The precision approach
Turning
Bank angle and rate of turn
Roll-in and roll-out rate
The medium level turn
Instrument turns to a specific heading
Climbing turns
Descending turns
Steep Turns
Steep level turn
Steep descending turn

Completion Standards:

This lesson is complete when the student has successfully completed all review questions following the assigned reading.

Assignment:

Instrument Flying, Chapters 5 and 6



This lesson may be completed using BATD Lesson 3. *See* Appendix 6.

Minimum 141 Requirements: Dual, Instrument

Dual, Instrument 1.0 hours flight

1.0 hours ground instruction



Flight Training

Objective:

Instrument Flying

For the student to become proficient in performing Steep Turns and Slow Flight solely by reference to instruments, and understand the process of checking the instrument and equipment postflight.

Content:
Preflight inspection
Normal takeoff
Standard rate turns
Slow Flight
Steep Turns
Pattern I (see Chapter 9, Instrument Flying)
Pattern E (see Chapter 9, Instrument Flying)
Radar vectors, NDB or GPS approach (demonstrated)
Postflight, checking instruments and equipment
Completion Standards:
This module is complete when the student can perform Steep Turns, Slow Flight solely by reference to instruments, and postflight procedures, and can maintain flight within 150 feet, 15 degrees, 15 knots, and 5 degrees of bank angle, while performing the maneuvers listed in the content of this module.
Recommended Reading:

Stage 1 / Mod	ule 3		
Date of Comple	tion:		
Signature:			
Time Flown:			
Aircraft	BATD	Other	



Ground Training

Objective:

For the student to have an understanding of recognizing and recovering from unusual attitudes.

Content:

Unusual attitudes
Recognizing an unusual attitude
Nose-low attitudes with increasing airspeed
Nose-high attitude with decreasing airspeed
Nose-high and approaching the stall
Completion Standards:
This lesson is complete when the student has successfully completed all review questions following the assigned reading.
Assignment:
Instrument Flying, Chapter 7
This lesson may be completed using BATD Lesson 4.
See Appendix 6.

Minimum 141 Requirements: Dual, Instrument

Dual, Instrument
1.0 hours flight
1.0 hours ground instruction



Flight Training

Objective:

For the student to become proficient at performing timed turns to magnetic compass headings, and constant rate climbs and descents, flying solely by reference to instruments.

Content:
Preflight
Soft-field takeoff
Standard rate turns
Steep Turns
Slow Flight
Power on/off Stalls
Timed turns to magnetic compass headings
Pattern G (see Chapter 9, Instrument Flying)
Pattern H (see Chapter 9, Instrument Flying)
Systems and equipment malfunctions
ASR approach (with tower or the instructor)
Postflight procedures
Completion Standards:

This module is complete when the student can maintain flight within 150 feet, 15 degrees, and 15 knots, while performing the maneuvers listed in the content of this module.

Recommended Reading:

Instrument Flying



This lesson may be completed using BATD Lesson 5. *See* Appendix 6.

Stage 1 / Mod	lule 4	
Date of Comple	etion:	
Signature:		
Time Flown:		
Aircraft	BATD	Other

Stage 1 / Module 5 and Stage Check



Ground Training

Objective:

For the student to gain an understanding of normal instrument flight on a partial panel and the maneuvers used in instrument flight training.

Content:

Normal instrument flight on a partial panel
Interpreting pitch attitude on a partial panel
Interpreting bank attitude on a partial panel
Straight flight on a partial panel
straight-and-level flight on a partial panel
climbing on a partial panel
descending on a partial panel
Turning on a partial panel
Recovery from unusual attitudes on a partial panel
Training maneuvers
Seven-Ts
Performance sheets
Warm-ups
Maneuvers (A-K)
Completion Standards:
This lesson is complete when the student has successfully completed all review questions following the assigned reading. Stage 1 Exam must be passed with a minimum score of 80% and reconciled to 100% .
Assignment: <i>Instrument Flying</i> , Chapters 8 and 9 Stage 1 Exam

This lesson may be completed using BATD Lesson 6.

See Appendix 6.

Minimum 141 Requirements: Dual, Instrument

1.5 hours flight Stage check

1.5 hours ground instruction

Stage exam



Flight Training

Objective:

A-----

For the student to become proficient in recovery from unusual flight attitudes, and partial panel flight. For the Stage Check, student should demonstrate skill in the following areas according to the completion standards.

Con	tent:
	Preflight inspection
	Aircraft systems related to IFR operations
	Instrument cockpit check
	Short-field takeoff
	Straight-and-level flight
	Change of airspeed
	Constant airspeed climb and descents
	Rate climbs and descents
	Standard rate turns
	_ Steep Turns
	_Slow Flight
	Power on/off Stalls
	Timed turns to headings
	Recovery from unusual flight attitudes
	Partial panel practice using patterns B and G
	Pattern J (see Chapter 9, Instrument Flying)
	Pattern H (see Chapter 9, Instrument Flying)
	Radar vector approach (VOR, ILS, NDB, or GPS), instructor assisted
	Checking instruments and equipment postflight

Completion Standards:

This module is complete when the student can recover from unusual flight attitudes, and fly partial panel. Student should maintain flight within 150 feet, 15 degrees, 15 knots, and 5 degrees of bank angle, while performing the maneuvers listed in the content of this module.

Recommended Reading:

Instrument Rating Test Prep, Chapters 3 and 4 *Instrument Flying*

Stage 1 / Module 5		
Date of Completion:		
Signature:		
Time Flown:		
Stage Exam Score:		
Stage Check Successful:		
Aircraft BATD	Other	

Optional Stage 1 Review

Lesson Time: Dual, Instrument

- 1.5 hours flight, or whatever is necessary to meet objective
- 1.5 hour ground instruction, or whatever is necessary to meet objective



Flight Training

Objective:

For the student to review all Stage 1 tasks and meet all objectives.

	ent:
	Preflight inspection
	Aircraft systems related to IFR operations
	Instrument cockpit check
;	Short-field takeoff
;	Straight-and-level flight
(Change of airspeed
_ (Constant airspeed climbs and descents
_]	Rate climbs and descents
;	Standard rate turns
(Steep Turns
_ ;	Slow Flight
_]	Power on/off Stalls
_ ′	Timed turns to headings
_]	Recovery from unusual flight attitudes
_]	Partial panel practice using patterns B and G
_]	Pattern J (see Chapter 9, Instrument Flying)
_]	Pattern H (see Chapter 9, Instrument Flying)
_]	Radar vector approach (VOR, ILS, NDB, or GPS), instructor assisted
_ (Checking instruments and equipment postflight
nis n ght ithir	poletion Standards: Induction of the student can recover from unusual attitudes, and fly partial panel. Student should maintain flight in 150 feet, 15 degrees, 15 knots, and 5 degrees of bank angle, performing the maneuvers listed in the content of this module.
eco	mmended Reading:
	ment Flying

Stage 2

Navigation

Objective

The objective of Stage 2 is for the student to become proficient in and have an understanding of the following:



Ground Training

- Radio navigation aids
- Radar
- DME
- · The NDB and ADF
- The Relative Bearing Indicator (RBI)
- The Radio Magnetic Indicator (RMI) and rotatable-card ADF
- The VOR
- The Instrument Landing System (ILS)
- RNAV using Pseudo-VORTACs or GPS



Flight Training

- ATC Clearances
- VOR navigation
- NDB navigation
- GPS navigation
- Intercepting and tracking VOR/VORTAC radials and DME arcs
- Intercepting and tracking NDB bearings
- Low Altitude Enroute chart use
- · Airway use

Completion Standards

Stage 2 is complete when the student achieves the objective of each lesson and can list or describe the correct process or reference for accomplishing elements, exercises, and activities. Student shall score at least 80% on the Stage 2 Exam, and all deficient areas shall be reconciled to 100%.



Ground Training

Objective:

For the student to be introduced to radio navigation aids and gain an understanding of radar.

Content:
Review objective of Stage 2
Introduction to radio navigation aids
Radar
Radar vectoring
Radar approaches
Surveillance approaches
PAR approaches
No-gyro approaches
Using the transponder
How radar works
Completion Standards: This lesson is complete when the student has successfully completed all review questions following the assigned reading.

Assignment:

Instrument Flying, Chapter 10

Minimum 141 Requirements: Dual, Instrument

1.5 hours flight

1.5 hours ground instruction



Flight Training

Objective:

For the student to become oriented with VOR homing and tracking procedures and to become proficient in ATC clearances.

Content:
Preflight inspection
Air Traffic Control clearances
VOR, VOT accuracy checks
TO-FROM and CDI orientation/use
Homing a VOR radial
Tracking a VOR radial
Effects of wind on VOR use
Tracking outbound/reverse sensing
Determining station passage
ASR approach, full panel (instructor assisted)
Postflight procedures

Completion Standards:

This module is complete when the student can communicate effectively with ATC, home and track using VOR radials, perform VOR accuracy checks, and orient himself/herself using a VOR. Flight should be maintained within 150 feet altitude, 15 knots airspeed, and 15 degrees heading, while performing the maneuvers listed in the content of this module.

Recommended Reading:

Instrument Flying

Stage 2 / Module 1
Date of Completion:
Signature:
Time Flown:
Aircraft BATD Other



Ground Training

Objective:

For the student to gain an operational understanding of DME and the VOR.

Content:
DME
DME measures slant distance
DME uses the principle of secondary radar
DME frequencies
VOR/DME pairing
ILS/DME pairing
DME arcs
VOR
VOR radial
How the VOR works
The range of a VOR
VORs on aeronautical charts
VOR/DME, TACAN, VORTAC
VOR cockpit instrument
TO or FROM
Preparing the OBI for use
Orientation using the VOR
Tracking using the VOR
Intercepting a course using the VOR
Other presentations of the VOR
The VOR instrument approach

Completion Standards:

This lesson is complete when the student has successfully completed all review questions following the assigned reading.

Assignment:

Instrument Flying, Chapters 12 and 14



This lesson may be completed using BATD Lesson 7. *See* Appendix 6.

Minimum 141 Requirements: Dual, Instrument

Dual, Instrument
1.0 hours flight
1.0 hours ground instruction



Flight Training

Objective:

For the student to become proficient at VOR navigation and intercepting and tracking VOR/VORTAC radials and DME arcs.

Content:	
Preflight	
ATC clea	arances
VOR/VO	T accuracy checks
VOR nav	rigation techniques
Homing	a VOR radial
Intercept	ing and tracking VOR/VORTAC radials
DME are	es
VOR ful	l approach (instructor assisted)
Postfligh	t procedures
Completion	Standards:
VORs, and car arcs. Flight she airspeed, and	s complete when the student can navigate using intercept and track VOR/VORTAC radials and DME bould be maintained within 150 feet altitude, 15 knots degrees heading, while performing the maneuvers ontent of this module.
Recommend	led Reading:
Instrument Fly	ing
(20000)	
This lesson ma See Appendix	ny be completed using BATD Lesson 8. 6.

Stage 2 / Module 2		
Date of Completion:		
Signature:		
Time Flown:		
Aircraft	BATD	Other



Ground Training

Objective:

For the student to gain an operational understanding of the NDB and ADF, the relative bearing indicator (RBI), the radio magnetic indicator (RMI), and the rotatable-card ADF.

The NDB and the ADF
The Automatic Direction Finder
The ADF Cockpit Display
The Relative Bearing Indicator (RBI)
Operational use of the RBI
Tracking
The NDB approach
$The\ Radio\ Magnetic\ Indicator\ (RMI)\ and\ Rotatable-card\ ADF$
Orientation using the RMI
The initial interception of course
Maintaining course
Completion Standards:

This lesson is complete when the student has successfully completed all review questions following the assigned reading.

Assignment:

Instrument Flying, Chapter 11



This lesson may be completed using BATD Lesson 9. *See* Appendix 6.

Minimum 141 Requirements: Dual, Instrument

1.0 hours flight

1.0 hours ground instruction



Flight Training

Objective:

Content:

For the student to become proficient with NDB navigation and intercepting and tracking NDB bearings.

Preflight
ATC clearances
ADF orientation
NDB navigation
Homing with an NDB
Tracking with an NDB
Intercepting NDB bearings
NDB full approach (instructor assisted)
Postflight procedures

Completion Standards:

This module is complete when the student can navigate using the NDB, and intercept and track NDB bearings. Flight should be maintained within 150 feet altitude, 15 knots airspeed, and 15 degrees heading, while performing the maneuvers listed in the content of this module.

Recommended Reading:

Instrument Flying



This lesson may be completed using BATD Lesson 10. *See* Appendix 6.

Stage 2 / Mod	ule 3	
Date of Comple	etion:	
Signature:		
Time Flown:		
Aircraft	BATD	Other



Ground Training

Instrument Landing System (ILS)

Objective:

For the student to gain an operational understanding of the Instrument Landing System (ILS).

Content:

The Localizer
flying the Localizer
flying the Localizer with an HSI
The Glideslope
flying the glideslope
Marker Beacons
other means of checking glideslope
Approach lights and other lights
approach light systems (ALS)
visual approach slope indicator (VASI)
runway lighting
taxiway lights
control of lighting systems
Precision instrument runway markings
Inoperative ILS components
Flying a typical ILS
International terminology
Simultaneous approaches
The sidestep maneuver
The localizer-type directional aid (LDA)
The simplified directional facility (SDF)
Windshear on the approach
windshear terminology
windshear effects on an aircraft's flightpath
the causes of windshear
Completion Standards:
This lesson is complete when the student has successfully completed all review questions following the assigned reading.

Minimum 141 Requirements: Dual, Instrument

Dual, Instrument
1.0 hours flight
1.0 hours ground instruction



Flight Training

Objective:

For the student to be introduced to Low Altitude Enroute chart use and to become proficient with Time to Station problems, VOR navigation, DME arcs, NDB navigation, GPS navigation, and intercepting NDB bearings and VOR radials.

	_ Preflight
	_ ATC clearances
	_ Low Altitude Enroute chart orientation and use
	_ Low Annuale Enroute chart orientation and use DME arcs
	_ DME arcs _ VOR navigation
	_ NDB navigation
	_ GPS navigation
	_ Grs navigation _ Intercepting and tracking VOR radials
	_ Intercepting and tracking VOR radias _ Intercepting and tracking NDB bearings
	NDB time to station problems
	_ VOR time to station problems
	_ ILS full approach (instructor assisted)
	_ Postflight procedures
IJ	feet altitude, 15 knots airspeed, and 15 degrees heading, while
er	Forming the maneuvers listed in the content of this module.
er Re	forming the maneuvers listed in the content of this module.
er Re	forming the maneuvers listed in the content of this module.
per Re	forming the maneuvers listed in the content of this module.
per Re	forming the maneuvers listed in the content of this module.
per Re	forming the maneuvers listed in the content of this module.
er Re	forming the maneuvers listed in the content of this module.
er Re	forming the maneuvers listed in the content of this module.
Re-	forming the maneuvers listed in the content of this module.

Assignment:

Instrument Flying, Chapter 13



This lesson may be completed using BATD Lesson 11. *See* Appendix 6.

Stage 2 / Mod	ule 4		
Date of Completion:			
Signature:			
Time Flown:			_
Aircraft	BATD	Other	_

Stage 2 / Module 5 and Stage Check



Ground Training

Objective:

For the student to gain an operational understanding of RNAV.

Content:
RNAV
Pseudo-VORTACs
DPs and approaches
GPS
Completion Standards:
This lesson is complete when the student has successfully completed all review questions following the assigned reading. Stage 2 Exam must be passed with a minimum score of 80% and reconciled to 100%.
Assignment:
Instrument Flying, Chapter 15
Stage 2 Exam

Stage 2 / Module 5		
Date of Completion:		
Signature:		
Time Flown:		
Stage Exam Score:		
Stage Check Successful:		
Aircraft BATD Other		

Minimum 141 Requirements: Dual, Instrument

1.5 hours flight Stage check

1.5 hours ground instruction Stage exam

Flight Training

Objective:

For the student to review how to home, track, and intercept VOR and NDB radials/bearings, navigate using VORs, NDBs, or GPS, comply with ATC clearances, correctly use a Low Altitude Enroute chart, and be introduced to airway use. For the Stage Check, student should demonstrate skill in the following areas according to the completion standards.

Content:
Preflight
ATC clearances
VOR/VOT accuracy check
VOR navigation
NDB navigation
Intercepting and tracking VOR radials
Intercepting and tracking NDB bearings
Low Altitude Enroute chart use and orientation
Airway orientation with instruments and chart
Standard rate turns
Steep Turns
Slow Flight
Power on/off Stalls
Timed turns to headings
Recovery from unusual flight attitudes
Partial panel practice using patterns B and G
Full approach (VOR, NDB, GPS, or ILS), instructor assisted
Postflight procedures

Completion Standards:

This lesson is complete when the student can perform all maneuvers listed in the content of this module, while maintaining VOR and NDB navigation within 2 dots or 5 degrees of course, and altitude within 100 feet, heading within 10 degrees, and airspeed within 10 knots.

Recommended Reading:

Instrument Flying
Instrument Rating Test Prep, Chapter 8

Optional **Stage 2 Review**

Lesson Time: Dual, Instrument

- 1.5 hours flight, or whatever is necessary to meet objective
- 1.5 hour ground instruction, or whatever is necessary to meet objective



Flight Training

Objective:

For the student to review all Stage 2 tasks and meet all objectives.
Content:
Preflight
ATC clearances
VOR/VOT accuracy check
VOR navigation
NDB navigation
GPS navigation
Intercepting and tracking VOR radials
Intercepting and tracking NDB bearings
Low Altitude Enroute chart use and orientation
Airway orientation with instruments and charts
Standard rate turns
Steep Turns
Slow Flight
Power on/off Stalls
Timed turns to headings
Recovery from unusual flight attitudes
Partial panel practice using patterns B and G
Full approach (VOR, NDB, GPS, or ILS), instructor assisted
Postflight procedures
Completion Standards:
This lesson is complete when the student can perform all maneuver listed in the content of this module, while maintaining VOR and NDB navigation within 2 dots or 5 degrees of course, and altitude within 100 feet, heading within 10 degrees, and airspeed within 10 knots.
Recommended Reading:
Instrument Flying
Ontional Stage 2 Poview

Optional Stage 2 Review		
Date of Completion:		
Signature:		
Time Flown:		
AircraftBATD	Other	

Stage 3

Holding Procedures

Objective

The objective of Stage 3 is for the student to become proficient in and have an understanding of the following:



Ground Training

- · Holding patterns
- Procedure turns
- DME arcs
- Regulations pertaining to the instrument pilot
- Preparation for instrument flight
- Icing
- Visibility



Flight Training

- Holding procedures:
 - entries to holds
 - holding at VORs
 - holding at NDBs
 - holding at intersections
 - partial panel holds
 - holding speeds
- Compliance with departure, en route, and arrival procedures and clearances
- Filing an IFR flight plan

Completion Standards

Stage 3 is complete when the student achieves the objective of each lesson, and can list or describe the correct process or reference for accomplishing elements, exercises and activities. Student shall score at least 80% on the Stage 3 Exam, and all deficient areas shall be reconciled to 100%.



Ground Training

Objective:

For the student to gain an understanding of holding patterns, procedure turns, and DME arcs.

Content:
Review objective of Stage 3
Holding patterns
Tracking
Corrections for wind
Entering a holding pattern
Holding speeds
Procedure turns
The $45^{\circ}/180^{\circ}$ procedure turn
The 80°/260° procedure turn
The base turn, or teardrop turn
Positioning in a racetrack pattern
DME Arcs

Completion Standards:

This lesson is complete when the student has successfully completed all review questions following the assigned reading.

Assignment:

Instrument Flying, Chapter 28



This lesson may be completed using BATD Lesson 12. *See* Appendix 6.

Minimum 141 Requirements: Dual, Instrument

1.5 hours flight

1.5 hours ground instruction



Flight Training

Objective:

Contont

For the student to be introduced to entries to holds and holding at VORs

Content:
Instrument preflight
Holding instruction
Perform three holds at a VOR
Direct entry, standard turns
Parallel entry, nonstandard turns
Teardrop entry, standard turns
VOR approach, radar vectors (instructor assisted)
Postflight procedures

Completion Standards:

This module is complete when the student has an understanding of entries to holds, and can perform a hold using a VOR. Student should maintain altitude within 150 feet, airspeed within 15 knots, and heading within 15 degrees, while performing the maneuvers listed in the content of this module.

Recommended Reading:

Instrument Flying



This lesson may be completed using BATD Lesson 13. *See* Appendix 6.

Stage 3 / Modu	ule 1	
Date of Comple	tion:	
Signature:		
Time Flown:		
Aircraft	BATD	Other



Ground Training

Objective:

For the student to understand the federal aviation regulations which pertain to the instrument pilot.

Content:

Regulations pertaining to the instrument pilot
Federal Aviation Regulations
Responsibility and authority of the PIC
What is IFR?
Am I qualified to fly IFR today?
Is the airplane suitable for IFR?
IFR operations
Completion Standards:
This lesson is complete when the student has successfully completed all review questions following the assigned reading.
Assignment:
Instrument Flying, Chapter 24

Minimum 141 Requirements: Dual, Instrument

Dual, Instrument
1.0 hours flight
1.0 hours ground instruction



Flight Training

Objective:

For the student to become proficient at holding entry procedures, performing standard and nonstandard holding patterns, complying with departure, en route, and arrival procedures and clearances, and filing an IFR flight plan.

Content:
Instrument preflight
Departure procedures
File an IFR flight plan
Comply with departure, en route, and arrival procedures and clearances
Perform 3 VOR holds, using direct, parallel, and teardrop entries
Demonstrate both standard and nonstandard holding patterns
Perform 1 VOR hold, using partial panel
ILS approach, radar vectors (instructor assisted)
Postflight procedures

Completion Standards:

This module is complete when the student can accurately hold at a VOR using the proper entry procedure and timing techniques, maintaining orientation to whereabouts at all times. Student must maintain altitude within 150 feet, airspeed within 15 knots, and heading within 15 degrees, while performing the maneuvers listed in the content of this module.

Recommended Reading:

Instrument Flying

Stage 3 / Mod	dule 2	
Date of Compl	etion:	
Signature:		
Time Flown:_		
Aircraft	BATD	Other



Ground Training

Objective:

For the student to understand the preparation necessary for an instrument flight.

Preparation for flight
Preflight considerations for an IFR flight
En Route charts
airports
navigation aids
routes
airspace
communications
Flight planning
the flight plan

Completion Standards:

This lesson is complete when the student has successfully completed all review questions following the assigned reading.

Assignment:

Instrument Flying, Chapter 25

Minimum 141 Requirements: Dual, Instrument

Dual, Instrument 1.0 hours flight

1.0 hours ground instruction



Flight Training

Objective:

For the student to become proficient in performing holds at an NDB.

nτ	n	

Instrument preflight
Departure procedures
File an IFR flight plan
Perform NDB hold, standard and nonstandard turns
Perform NDB hold, partial panel
Review VOR holding procedures
NDB or GPS full approach (instructor assisted)
Postflight procedures

Completion Standards:

This module is complete when the student can perform holds at an NDB using the correct entry and timing procedures, maintaining orientation to whereabouts at all times. Student must maintain altitude within 150 feet, airspeed within 15 knots, and heading within 15 degrees, while performing the maneuvers listed in the content of this module.

Recommended Reading:

Instrument Flying



This lesson may be completed using BATD Lesson 14. *See* Appendix 6.

Stage 3 / Module 3	
Date of Completion:	
Signature:	
Time Flown:	
AircraftBATD	Other



Ground Training

Objective:

For the student to gain an understanding of IFR meteorology, specifically icing.

Content:
Icing
Structural Icing
clear ice
rime ice
mixed (or cloudy) ice
frost
structural icing and cloud type
Induction Icing
carburetor icing
engine intake icing
Some hints to the pilot flying in icing conditions

Completion Standards:

This lesson is complete when the student has successfully completed all review questions following the assigned reading.

Assignment:

Instrument Flying, Chapter 20

Minimum 141 Requirements: Dual, Instrument

1.0 hours flight

1.0 hours ground instruction



Flight Training	
Objective:	
For the student to perform partial pane	l and intersection holds.
Content:	
Instrument preflight	
File an IFR flight plan	
VOR hold, partial panel	Note: Students should
Intersection hold, partial panel	practice a different entry
NDB hold, partial panel	technique with each hold
VOR full approach (instructor as	sisted)
Postflight procedures	
Completion Standards:	
This module is complete when the studintersection, and NDB holds using a particle orientation to whereabouts at all times altitude within 150 feet, airspeed within within 15 degrees, while performing the content of this module.	artial panel, maintaining . Student must maintain n 15 knots, and heading
Recommended Reading:	
Instrument Flying	

Stage 3 / Mod	dule 4	
Date of Compl	etion:	
Signature:		
Time Flown:_		
Aircraft	BATD	Other

Stage 3 / Module 5 and Stage Check



Ground Training

Objective:

For the student to gain an understanding of IFR meteorology, specifically visibility.

Content: Visibility ____ Inversions and reduced visibility ____ Condensation ____ Fog ____ radiation fog ____ advection fog ____ upslope fog ____ frontal fog ____ steam fog Completion Standards:

This lesson is complete when the student has successfully completed all review questions following the assigned reading. Stage 3 Exam must be passed with a minimum score of 80% and reconciled to

100%. Assignment:

Instrument Flying, Chapter 18 Stage 3 Exam Minimum 141 Requirements: Dual, Instrument

1.5 hours flight
Stage check



1.5 hours ground instruction

Stage exam

Flight Training

Objective:

For the student to review VOR, Intersection, NDB—standard and nonstandard—holds, with both full and partial panel; and instrument flying maneuvers. For the Stage Check, student should demonstrate skill in the following areas according to the completion standards.

en route, and arrival procedures		
Note: Students should demonstrate		
holds using all entry procedures and full and partial panel proficiency.		
juii una partiai panci projeciency.		
ILS full approach (instructor assisted)		
Postflight procedures		

Completion Standards:

This module is complete when the student can perform VOR, Intersection, and NDB holds, demonstrating all entry procedures, standard and nonstandard patterns, and full and partial panel proficiency. Student must maintain altitude within 100 feet, airspeed within 10 knots, and heading within 10 degrees, while performing the maneuvers listed in the content of this module.

Recommended Reading:

Instrument Flying
Instrument Rating Test Prep, Chapter 5

Stage 3 / Module 5		
Date of Completion:		
Signature:		
Time Flown:		
Stage Exam Score:		
Stage Check Successful:		
Aircraft BATD	Other	

Optional Stage 3 Review

Lesson Time: Dual, Instrument

- 1.5 hours flight, or whatever is necessary to meet objective
- 1.5 hour ground instruction, or whatever is necessary to meet objective



Flight Training

Objective:

For the student to review all Stage 3 tasks and meet all objectives.

Content:	
Instrument preflight	
File IFR flight plan	
Comply with departure clearances	e, en route, and arrival procedures and
VOR hold	Note: Students should demonstrate
Intersection hold	holds using all entry procedures and
NDB hold	full and partial panel proficiency.
Slow Flight	
Steep Turns	
Power on/off Stalls	
ILS full approach (inst	ructor assisted)
Postflight procedures	

Completion Standards:

This module is complete when the student can perform VOR, Intersection, and NDB holds, demonstrating all entry procedures, standard and nonstandard patterns, and full and partial panel proficiency. Student must maintain altitude within 100 feet, airspeed within 10 knots, and heading within 10 degrees, while performing the maneuvers listed in the content of this module.

Recommended Reading:

Instrument Flying

Optional Stag	ge 3 Review	
Date of Comp	etion:	
Signature:		
Time Flown:_		
Aircraft	BATD	Other

Stage 4

Instrument Approaches

Objective

The objective of Stage 4 is for the student to become proficient in and have an understanding of the following:



Ground Training

- · Instrument approaches
- Instrument departures
- Visual maneuvering
- Clouds
- Thunderstorms
- High-level meteorology



Flight Training

- VOR/VORTAC instrument approach procedure
- NDB instrument approach procedure
- ILS instrument approach procedure
- GPS instrument approach procedure
- Missed approach procedures
- Circling approach procedures
- Landing from a straight-in or circling approach procedure
- Localizer instrument approach procedure
- Localizer back-course approach
- · Instrument approaches from holds
- Partial panel approaches
- Loss of communications

Completion Standards

Stage 4 is complete when the student achieves the objective of each lesson, and can list or describe the correct process or reference for accomplishing elements, exercises and activities. Student shall score at least 80% on the Stage 4 Exam, and all deficient areas shall be reconciled to 100%.



Ground Training

Objective:

For the student to gain an operational understanding of arrivals, instrument approaches, and instrument approach charts.

Content:
Review objective of Stage 4
Arrivals
Standard Terminal Arrival Routes (STARs)
Vertical navigation
The instrument approach
The segments of an instrument approach
Instrument approach charts
The elements of an instrument approach chart
Identification of an instrument approach chart
Radio communications frequencies
Plan view of the instrument approach
Profile view
The minimum safe altitude circle (MSA)
Approach minimums
Timing to the missed approach point
Typical instrument approach charts
General comments on instrument approaches
Visual reference at the DH or MDA
Visual illusions on approach

Completion Standards:

This lesson is complete when the student has successfully completed all review questions following the assigned reading.

Assignment:

Instrument Flying, Chapter 29

Aviation Supplies & Academics, Inc.

Minimum 141 Requirements: Dual, Instrument

Dual, Instrument
1.5 hours flight

1.5 hours ground instruction



Flight Training

Objective:

For the student to become proficient in performing VOR approaches—full, radar vectors, straight-in, circle-to-land—and missed approach techniques.

Content:
Instrument Preflight
File an IFR flight plan
Full VOR approach, followed by missed approach procedures
Radar vectors VOR approach, using straight-in minimums
Partial panel VOR radar vectors approach, using circle-to-land minimums
Postflight procedures

Completion Standards:

This module is complete when the student can perform VOR approaches (full, radar vectors, straight-in, and circle-to-land) within 100 feet of altitude, and 3 dots of the CDI needle. The student must comply with all ATC clearances and perform all procedures according to the approach plates.

Recommended Reading:

Instrument Flying



This lesson may be completed using BATD Lesson 15. *See* Appendix 6.

Stage 4 / Module	e 1	
Date of Completion	n:	
Signature:		
Time Flown:		
Aircraft	BATD	Other



Ground Training

Objective:

For the student to gain an operational understanding of the instrument departure.

Content:

Instrument departures
Weather at the departure airport
Takeoff minimums
Setting course
Departure Procedures (DPs)
ATC clearances
Completion Standards:
This lesson is complete when the student has successfully completed all review questions following the assigned reading.

Assignment:

Instrument Flying, Chapter 26



This lesson may be completed using BATD Lesson 16. *See* Appendix 6.

Minimum 141 Requirements: Dual, Instrument

Dual, Instrument
1.0 hours flight
1.0 hours ground instruction



Flight Training

Objective:

For the student to become proficient in performing NDB and/or GPS approaches, demonstrating full, radar vectors, straight-in, circle-to-land, and missed approach techniques.

Note: Applicants will be required to demonstrate GPS approach proficiency if the aircraft includes a properly installed GPS.

Con	tent:
	Instrument preflight
	File an IFR flight plan
	NDB and/or GPS full approach, followed by missed approach
	NDB and/or GPS radar vector approach, using straight-in minimums
	NDB and/or GPS partial panel, radar vector approach, using circle-to-land minimums
	Postflight procedures

Completion Standards:

This module is complete when the student can perform NDB full, radar vectors, missed, circle-to-land, and straight-in approaches while maintaining flight within 100 feet above minimum descent altitude, not descending lower until a decision to land has been made. The student must maintain the flight within $\pm 10^{\circ}$ of the runway at the missed approach point.

Recommended Reading:

Stage 4 / Module 2	
Date of Completion:	
Signature:	
Time Flown:	
AircraftBATD	Other



Ground Training

Objective:

For the student to gain an understanding of visual maneuvering, including circling to land, contact approaches, visual approaches, visual illusions, wake turbulence on approach, and hydroplaning.

Content:

Visual maneuvering
Circling to land
the visual circling maneuver
the visual maneuvering (circling) area
sectorized visual maneuvering (circling) areas
the missed approach procedure when circling
approaches with circling minimums only
airports without a published IAP
Contact approach
Visual approach
Visual illusions
Wake turbulence on approach
Hydroplaning
Completion Standards:
This lesson is complete when the student has successfully comp
all raview questions following the assigned reading

leted

Assignment:

Instrument Flying, Chapter 30

Minimum 141 Requirements: Dual, Instrument

1.0 hours flight

1.0 hours ground instruction



Flight Training

Objective:

For the student to become proficient in performing ILS and Localizer approaches, including missed approach, full and radar vector techniques.

Content:

Instrument prenignt
Discuss initiating the missed approach before reaching the missed approach point
File an IFR flight plan
ILS full approach, followed by missed approach
ILS radar vector approach, using straight-in minimums
Localizer radar vector approach, using circle-to-land minimums
Localizer back course full approach, using straight-in minimums
Postflight procedures

Completion Standards:

This module is complete when the student can perform ILS full and radar vector approaches, and Localizer approaches without descending below the minimum altitudes, and while maintaining airspeed within 10 knots of approach speed, and arriving at the MDA prior to the MAP and performing a prompt missed approach at the accurate time. ILS approach must maintain glideslope within less than full needle deflection.

Recommended Reading:

Instrument Flying



This lesson may be completed using BATD Lesson 17. See Appendix 6.

Stage 4 / Module 3
Date of Completion:
Signature:
Time Flown:
Aircraft BATD Other



Ground Training

Objective:

For the student to gain an understanding of IFR meteorology, specifically clouds and thunderstorms.

Content:

Clouds	
The naming of clouds	
Moisture in the atmosphere	
The formation of clouds	
Precipitation from clouds	
Lifted index	
Thunderstorms	
The life cycle of a thunderstorm	
Downbursts and microbursts	
Tornadoes and water spouts	
Thunderstorms are hazardous to aviation	
Weather radar	
Stormscopes	
Completion Standards:	
This lesson is complete when the student has successfully complete	اد

This lesson is complete when the student has successfully completed all review questions following the assigned reading.

Assignment:

Instrument Flying, Chapters 19 and 21

Minimum 141 Requirements: Dual, Instrument

Dual, Instrument
1.5 hours flight

1.0 hours ground instruction



Flight Training

Objective:

For the student to demonstrate a proficient VOR hold and approach, NDB hold and approach, and ILS approach. Student will gain an understanding of IFR lost communication procedures.

Instrument preflight	
File an IFR flight plan	Instructor should request holding entries and full/radar
VOR hold	vectors based on areas the
VOR approach	student is least proficient.
NDB hold	
NDB approach	
GPS approach (if aircraft pr	roperly equipped)
ILS approach	
IFR lost communication pro	ocedures
Postflight procedures	

Recommended Reading:

Stage 4 / Module 4	
Date of Completion:	
Signature:	
Time Flown:	
Aircraft BATD Other	

Stage 4 / Module 5 and Stage Check



Ground Training

Objective:

For the student to gain an understanding of IFR meteorology, specifically high-level meteorology.

Content: High-level meteorology _____ Jet streams ____ Clouds at high levels

Completion Standards:

This lesson is complete when the student has successfully completed all review questions following the assigned reading. Stage 4 Exam must be passed with a minimum score of 80% and reconciled to 100%.

Assignment:

Instrument Flying, Chapter 22

Minimum 141 Requirements: Dual, Instrument

1.5 hours flight
Stage check
1.5 hours ground instruction
Stage exam



Flight Training

Objective:

Content:

For the student to review VOR, NDB, ILS, and Localizer approaches, using missed, circling, straight-in, full/radar vectors, partial panel, and lost communication techniques. For the Stage Check, student should demonstrate skill in the following areas according to the completion standards.

Instrument preflight
File an IFR flight plan
VOR approach
NDB approach
GPS approach (if aircraft properly equipped)
ILS approach
Localizer approach
IFR lost communication procedures
Postflight procedures

Instructor should request missed, circling, straight-in, partial panel, and full/radar vectors based on areas the student is least proficient.

Completion Standards:

This module is complete when the student can conduct the flight using efficient cockpit management skills in instrument conditions, and demonstrate VOR, NDB, ILS, and Localizer approaches under the conditions stated by the instructor without busting the minimums set out by each approach. Flight must be maintained at altitude within 100 feet, heading within 10 degrees, and airspeed within 10 knots.

Recommended Reading:

Instrument Flying
Instrument Test Prep, Chapters 6 and 7

Stage 4 / Module 5
Date of Completion:
Signature:
Time Flown:
Stage Exam Score:
Stage Check Successful:
Aircraft BATD Other

Optional Stage 4 Review

Lesson Time: Dual, Instrument

- 1.5 hours flight, or whatever is necessary to meet objective
- 1.5 hour ground instruction, or whatever is necessary to meet objective



Flight Training

Objective:

For the student to review all Stage 4 tasks and meet all objectives.

Content:		
Instrument preflight		
File an IFR flight plan		
VOR approach		
NDB approach		
GPS approach (if aircraft properly equipped)		
ILS approach		
Localizer approach		
IFR lost communication procedures		
Postflight procedures		

Instructor should request missed, circling, straight-in, partial panel, and full/radar vectors based on areas the student is least proficient.

Completion Standards:

This module is complete when the student can conduct the flight using efficient cockpit management skills in instrument conditions, and demonstrate VOR, NDB, ILS, and Localizer approaches under the conditions stated by the instructor without busting the minimums set out by each approach. Flight must be maintained at altitude within 100 feet, heading within 10 degrees, and airspeed within 10 knots.

Recommended Reading:

Optional Stage 4 Review	
Date of Completion:	
Signature:	
Time Flown:	
Aircraft BATD Other	

Stage 5

En Route & Prep for Checkride

Objective

The objective of Stage 5 is for the student to become proficient in and have an understanding of the following:



Ground Training

- Enroute procedures
- Wind, air masses, and fronts
- Weather reports and forecasts
- Review Instrument Practical Test Standards
- Oral prep for the checkride
- Take and pass the FAA Knowledge Exam



Flight Training

- Enroute procedures
- Weather information
- Cross-country flight planning
- Instrument cross-country
- Emergency procedures
- Review of Instrument Practical Test Standards
- Sign-off for the Instrument Checkride

Completion Standards

Stage 5 is complete when the student achieves the objective of each lesson and can list or describe the correct process or reference for accomplishing elements, exercises, and activities. Student shall score at least 80% on the Stage 5 Exam, and all deficient areas shall be reconciled to 100%. Upon completion of this stage, student will take the Instrument Rating checkride.



Ground Training

Objective:

For the student to gain an understanding of enroute procedures on an IFR flight.

Content:
Review objective of Stage 5
En route
Radar service
Enroute clearances
Position reports
Additional compulsory radio reports
Flying the airways
High altitude flying and oxygen
VFR-on-top
DME failure
Enroute diversions
Minimum fuel
Canceling an IFR flight plan
Completion Standards:
This lesson is complete when the student has successfully completed

all review questions following the assigned reading.

Assignment: *Instrument Flying*, Chapter 27

Minimum 141 Requirements: Dual, Instrument

Cross-country
2.0 hours flight
1.5 hours ground instruction



Flight Training

Objective:

For the student to demonstrate proficiency in planning an IFR cross-country, enroute procedures, and performing a short round-robin that includes an ILS. NDB or GPS, and VOR approach.

Preflight	
Plan IFR round-robin cross-c	ountry
Instrument preflight	
Round-robin IFR cross-count	ry flight
Simulated loss of communica	tions
Simulated engine failure	
Simulated instrument failure	
Simulated radio failure	
NDB or GPS approach	Note: One approach
VOR approach	should be performed us
ILS approach	a partial panel.
Postflight procedures	

This module is complete when the student can accurately plan an IFR cross-country flight, demonstrate correct enroute procedures, and perform this flight, including an ILS, NDB, and VOR approach, while maintaining flight within ± 100 feet altitude, ± 10 degrees of heading, ± 10 knots airspeed, and approaches within specified minimums.

Recommended Reading:

Stage 5 / Module 1	
Date of Completion:	
Signature:	
Time Flown:	
Aircraft BATD O	ther



Ground Training

Objective:

For the student to gain an understanding of IFR meteorology, specifically wind, air masses, and fronts.

Content:
The nature of the atmosphere
The cause of weather
Winds
Windshear
Air masses and frontal weather
The warm front
The cold front
The occluded front
Depressions—areas of low pressure
Weather associated with a depression
Troughs of low pressure
The wave or frontal depression
The hurricane or tropical revolving storm
Anticyclones—areas of high pressure
Weather associated with a high
A ridge of high pressure
A col

Completion Standards:

This lesson is complete when the student has successfully completed all review questions following the assigned reading.

Assignment:

Instrument Flying, Chapter 17

Minimum 141 Requirements: Dual, Instrument

Cross-country 2.0 hours flight 1.0 hours ground instruction



Flight Training

Objective:

For the student to demonstrate proficiency in all IFR cross-country procedures while performing a short round robin, including holds, approaches, and partial panel work.

n	tent:
	Plan IFR cross-country
	Instrument preflight
	Round-robin cross-country flight
	Simulated loss of communications
	Simulated engine failure
	Simulated instrument failure
	Simulated radio failure
	VOR hold
	NDB hold
	VOR approach
	NDB approach
	GPS approach (if aircraft properly equipped)
	ILS approach
	Partial panel work
	Postflight procedures

This module is complete when the student can perform IFR crosscountry procedures using good cockpit management skills, can maintain flight within ± 100 feet, ± 10 knots, and ± 10 degrees, and can perform approaches within specified minimums.

Recommended Reading:

Stage 5 / Mod	lule 2	
Date of Comple	etion:	
Signature:		
Time Flown:		
Aircraft	BATD	Other



Ground Training

Objective:

For the student to gain an understanding of IFR meteorology, specifically weather reports and forecasts.

Content:

Obtaining a weather briefing
Weather reports
Weather depiction charts
Surface analysis charts
Radar summary charts
METARs
Pilot weather reports (PIREPs)
Weather forecasts
Low-level significant weather prognostic charts
Area forecasts
Terminal forecasts (TAF)
The convective outlook (AC)
Winds and temperature aloft forecasts (FB)
Severe weather outlook charts (AC)
Constant pressure analysis charts
Tropopause data charts
Other weather information
Staying informed in the air

Completion Standards:

This lesson is complete when the student has successfully completed all review questions following the assigned reading.

Assignment:

Instrument Flying, Chapter 23

Minimum 141 Requirements: Dual, Instrument

Cross-country
3.5 hours flight
1.0 hours ground instruction



Flight Training

Objective:

Contont

For the student to perform the required 250 NM IFR cross-country, demonstrating correct enroute procedures, emergency procedures, and instrument approaches.

Content:		
IFR cross-country planning		
Instrument preflight		
250 NM cross-country		
Simulated loss of communications		
Simulated engine failure		
Simulated instrument failure		
Simulated radio failure		
Partial panel work		
Precision and non-precision approach— at different airports		
Postflight procedures		

Completion Standards:

This module is complete when the student can conduct the 250 NM IFR cross-country procedures efficiently, in an organized manner, with good communications, while maintaining flight within ± 100 feet, ± 10 degrees, and ± 10 knots and all approaches within specified minimums.

Recommended Reading:

Stage 5 / Module 3							
Date of Completion:							
Signature:							
Time Flown:							
AircraftBATD	_ Other						



Ground Training

Objective:

For the student to have a complete understanding of all areas included in the Instrument Practical Test Standards.

Content:

_ Review the Instrument Practical Test Standards

Assignment:

Review the Instrument Practical Test Standards

Minimum 141 Requirements: Dual, Instrument

1.5 hours flight

1.0 hours ground instruction



Flight Training

Objective:

For the student to practice all instrument procedures in preparation for the checkride.

Content:	
Instrument preflight	
Departure procedures	
Navigation to airway	
Perform 2 holds, 1 partial panel	
Emergency procedures	
VOR full approach	Note: Approaches should
NDB or GPS approach	include straight-in, circle
ILS radar vectors approach	to-land, and partial panel techniques.
Postflight procedures	•

Completion Standards:

This module is complete when the student can perform all instrument procedures within Practical Test Standards and within specified minimums.

Recommended Reading:

Instrument Flying Instrument Test Prep, Chapters 1 and 2



This lesson may be completed using BATD Lesson 18. See Appendix 6.

Stage 5 / Mod	dule 4						
Date of Completion:							
Signature:							
Time Flown:_							
Aircraft	BATD	Other					

Stage 5 / Module 5 and Stage Check



Ground Training

Objective:

For the student to gain complete understanding of all areas covered in the oral portion of the Instrument checkride.

Content:

Review all subject matter required for the Instrument rating
Suggested review material: Instrument Oral Exam Guide

Completion Standards:

This lesson is complete when the student passes the Stage 5 Exam with at least an 80%, reconciled to 100%. Student should receive endorsement for FAA instrument written exam.

Assignment:

Suggested reading: Review *Instrument Oral Exam Guide* Stage 5 Exam

FAA Instrument Rating Knowledge Exam

Stage 5 / Module 5
Date of Completion:
Signature:
Time Flown:
Stage Exam Score:
FAA Knowledge Exam Score:
Stage Check Successful:
Aircraft BATD Other

Minimum 141 Requirements: Dual, Instrument

1.5 hours flight Stage check

1.5 hours ground instruction Stage exam



Flight Training

Objective:

For the student to review all instrument procedures in preparation for the checkride. For the Stage Check, student should demonstrate skill in the following areas according to the completion standards.

•				

Instrument preflight	
Instrument cockpit check	
File an IFR flight plan	
Compliance with departure and clearances	e, en route, and arrival procedures
Departure procedures	
Navigate to airway	
Intercept and track VOR ra	dial
Intercept and track NDB be	earing
Perform 2 holds, 1 partial p	panel
Simulated loss of commun	ications
Simulated engine failure	
Simulated instrument failu	re
Simulated radio failure	
Recover from unusual attit	udes
Steep Turns	
Slow Flight	
VOR approach	Note: Approaches must
NDB or GPS approach	demonstrate straight-in, circle-
ILS approach	to-land, missed approach, partial panel, full and radar vector
Postflight procedures	procedures.

Completion Standards:

This module is complete when the student can demonstrate all instrument maneuvers within practical test standards and approach minimums and conduct the flight unassisted by the flight instructor. Student should receive endorsement for instrument checkride.

Recommended Reading:

Optional **Stage 5 Review**

Lesson Time: Dual, Instrument

- 1.5 hours flight, or whatever is necessary to meet objective
- 1.5 hours ground instruction, or whatever is necessary to meet objective



Flight Training

Objective:

	ge 5 tasks and meet all objectives.
Content:	
Instrument preflight	
Instrument cockpit check	
File an IFR flight plan	
Compliance with departur and clearances	e, en route, and arrival procedures
Departure procedures	
Navigate to airway	
Intercept and track VOR r	adial
Intercept and track NDB b	pearing
Perform 2 holds, 1 partial	panel
Simulated loss of commun	nications
Simulated engine failure	
Simulated instrument failu	nre
Simulated radio failure	
Recovery from unusual at	titudes
Steep Turns	
Slow Flight	
VOR approach	Note: Approaches must
NDB or GPS approach	demonstrate straight-in, circle-
ILS approach	to-land, missed approach, partial panel, full and radar vector
Postflight procedures	procedures.
Completion Standards:	
This module is complete when to instrument maneuvers within properties that the he flight unassisted by the flight	actical test standards and conduct
Recommended Reading:	

Optional Stage	5 Review					
Date of Completion:						
Signature:	Signature:					
Time Flown:			_			
Aircraft	_ BATD	Other	_			

1.	Aeronauti	ical knowledg	e test: 14 CFR §§61.35((a)(1) and 61.65(a) and (b)							
I certify that (First name, MI, Last name)has received the required training of §61.65(b). I have determined that he/she is prepared for the instrumer rating knowledge test.											
	S/S	[date]	J.J. Jones	987654321 CFI	Exp. 06-30-12						
2.	Flight pro	ficiency/pract	ical test: 14 CFR §61.6	5(a)(6)							
	has receiv	hat (First nam red the requir nt–Airplane p		§61.65(c) and (d). I have det	termined that he/she is prepared for the						
	S/S	[date]	J.J. Jones	987654321 CFI	Exp. 06-30-12						
Co	onfirm fo	or the Che	ckride:								
	Pilot certi	ificate current									
	Application	on form comp	pletely filled out								
	Logbook	and necessar	y supplies readily acces	ssible							
	Materials	necessary for	r planning a cross-coun	try flight							
	FAA Kno	wledge Exan	n results								
	Photo/sig	nature ID									
	Medical o	certificate cur	rent								
	Instructor	endorsemen	ts for checkride								

Instructor Note: Follow the formats below when signing-off endorsements for your students. (From AC 61-65)

☐ Graduation certificate

☐ Examiner's fee



FAA Form 8710-1, Airman Certificate and/or Rating Application Supplemental Information and Instructions

Paperwork Reduction Act Statement:

The information collected on this form is necessary to determine applicant eligibility for airman ratings. We estimate it will take 15 minutes to complete this form. The information collected is required to obtain a benefit and becomes part of the Privacy Act system of records DOT/FAA 847, General Air Transportation Records on Individuals. Please note that an agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The OMB control number associated with this collection is 2120-0021.

Privacy Act

The information on the accompanying form is solicited under authority of Title 14 of the Code of Federal Regulations (14 CFR), Part 61. The purpose of this data is to be used to identify and evaluate your qualifications and eligibility for the issuance of an airman certificate and/or rating. Submission of all requested data is mandatory, except for the Social Security Number (SSN) which is voluntary. Failure to provide all the required information would result in you not being issued a certificate and/or rating. The information would become part of the Privacy Act system of records DOT/FAA 847, General Air Transportation Records on Individuals. The information collected on this form would be subject to the published routine uses of DOT/FAA 847. Those routine uses are: (a) To provide basic airmen certification and qualification information to the public upon request. (b) To disclose information to the national Transportation Safety Board (NTSB) in connection with its investigation responsibilities. (c) To provide information about airmen to Federal, state, and local law enforcement agencies when engaged in the investigation and apprehension of drug violators. (d) To provide information about enforcement actions arising out of violations of the Federal Aviation regulations to government agencies, the aviation industry, and the public upon request. (e) To disclose information to another Federal agency, or to a court or an administrative tribunal, when the Government or one of its agencies is a party to a judicial proceeding before the court or involved in administrative proceedings before the tribunal.

Submission of your Social Security Number is voluntary. Disclosure of your SSN will facilitate maintenance of your records which are maintained in alphabetical order and cross-referenced with your SSN and airman certificate number to provide prompt access. In the event of nondisclosure, a unique number will be assigned to your file.

See Privacy Act Information above. Detach this part before submitting form.

Instructions for completing this form (FAA 8710-1) are on the reverse.

If an electronic form is not printed on a duplex printer, the applicant's name, date of birth, and certificate number (if applicable) must be furnished on the reverse side of the application. This information is required for identification purposes. The telephone number and E-mail address are optional.

Tear off this cover sheet before submitting this form.

FAA Form 8710-1 (4-00) Supersedes Previous Edition

NSN: 0052-00-682-5007

AIRMAN CERTIFICATE AND/OR RATING APPLICATION INSTRUCTIONS FOR COMPLETING FAA FORM 8710-1

I. APPLICATION INFORMATION. Check appropriate blocks(s).

- **Block A. Name.** Enter legal name. Use no more than one middle name for record purposes. Do not change the name on subsequent applications unless it is done in accordance with 14 CFR Section 61.25. If you do not have a middle name, enter "NMN". If you have a middle initial only, indicate "Initial only," If you are a Jr., or a II, or III, so indicate. If you have an FAA certificate, the name on the application should be the same as the name on the certificate unless you have had it changed in accordance with 14 CFR Section 61.25.
- Block B. Social Security Number. Optional: See supplemental Information Privacy Act. Do not leave blank: Use only US Social Security Number. Enter either "SSN" or the words "Do not Use" or "None." SSN's are not shown on certificates.
- **Block C. Date of Birth.** Check for accuracy. Enter eight digits; Use numeric characters, i.e., 07-09-1925 instead of July 9, 1925. Check to see that DOB is the same as it is on the medical certificate.
- **Block D. Place of Birth.** If you were born in the USA, enter the city and state where you were born. If the city is unknown, enter the county and state. If you were born outside the USA, enter the name of the city and country where you were born.
- Block E. Permanent Mailing Address. Enter residence number and street, P.O. Box or rural route number in the top part of the block above the line. The City, State, and ZIP code go in the bottom part of the block below the line. Check for accuracy. Make sure the numbers are not transposed. FAA policy requires that you use your permanent mailing address. Justification must be provided on a separate sheet of paper signed and submitted with the application when a PO Box or rural route number is used in place of your permanent physical address. A map or directions must be provided if a physical address is unavailable.
- **Block F. Citizenship.** Check USA if applicable. If not, enter the country where you are a citizen.
- Block G. Do you read, speak, write and understand the English language? Check yes or no.
- **Block H. Height.** Enter your height in inches. Example: 5'8" would be entered as 68 in. No fractions, use whole inches only.
- **Block I. Weight.** Enter your weight in pounds. No fractions, use whole pounds only.
- **Block J. Hair.** Spell out the color of your hair. If bald, enter "Bald." Color should be listed as black, red, brown, blond, or gray. If you wear a wig or toupee, enter the color of your hair under the wig or toupee.
- **Block K. Eyes.** Spell out the color of your eyes. The color should be listed as blue, brown, black, hazel, green, or gray.
- Block L. Sex. Check male or female.
- Block M. Do You Now Hold or Have You Ever Held An FAA Pilot Certificate? Check yes or no. (NOTE: A student pilot certificate is a "Pilot Certificate.")
- **Block N. Grade of Pilot Certificate.** Enter the grade of pilot certificate (i.e., Student, Recreational, Private, Commercial, or ATP). Do NOT enter flight instructor certificate information.
- **Block O. Certificate Number.** Enter the number as it appears on your pilot certificate.
- Block P. Date Issued. Enter the date your pilot certificate was issued.
- **Block Q. Do You Now Hold A Medical Certificate?** Check yes or no. If yes, complete Blocks R, S, and T.
- **Block R. Class of Certificate.** Enter the class as shown on the medical certificate, i.e., 1st, 2nd, or 3rd class.

- Block S. Date Issued. Enter the date your medical certificate was issued.
- **Block T. Name of Examiner.** Enter the name as shown on medical certificate.
- **Block U. Narcotics, Drugs**. Check appropriate block. Only check "Yes" if you have actually been convicted. If you have been charged with a violation which has not been adjudicated, check ."No".
- **Block V. Date of Final Conviction.** If block "U" was checked "Yes" give the date of final conviction.

II. CERTIFICATE OR RATING APPLIED FOR ON BASIS OF: Block A. Completion of Required Test.

- AIRCRAFT TO BE USED. (If flight test required) Enter the make and model of each aircraft used. If simulator or FTD, indicate.
- TOTAL TIME IN THIS AIRCRAFT (Hrs.) (a) Enter the total Flight
 Time in each make and model. (b) Pilot-In-Command Flight Time In
 each make and model.
- **Block B. Military Competence Obtained In.** Enter your branch of service, date rated as a military pilot, your rank, or grade and service number. In block 4a or 4b, enter the make and model of each military aircraft used to qualify (as appropriate).

Block C. Graduate of Approved Course.

- NAME AND LOCATION OF TRAINING AGENCY/CENTER.
 As shown on the graduation certificate. Be sure the location is entered.
- AGENCY SCHOOL/CENTER CERTIFICATION NUMBER. As shown on the graduation certificate. Indicate if 142 training center.
- CURRICULUM FROM WHICH GRADUATED. As shown on the graduation certificate.
- DATE. Date of graduation from indicated course. Approved course graduate must also complete Block "A" COMPLETION OF REQUIRED TEST.

Block D. Holder of Foreign License Issued By.

- 1. COUNTRY. Country which issued the license.
- GRADE OF LICENSE. Grade of license issued, i.e., private, commercial, etc.
- 3. NUMBER. Number which appears on the license.
- 4. RATINGS. All ratings that appear on the license.

Block E. Completion of Air Carrier's Approved Training Program.

- 1. Name of Air Carrier.
- 2. Date program was completed.
- 3. Identify the Training Curriculum.
- III. RECORD OF PILOT TIME. The minimum pilot experience required by the appropriate regulation must be entered. It is recommended, however, that ALL pilot time be entered. If decimal points are used, be sure they are legible. Night flying must be entered when required. You should fill in the blocks that apply and ignore the blocks that do not. Second In Command "SIC" time used may be entered in the appropriate blocks. Flight Simulator, Flight Training Device and PCATD time may be entered in the boxes provided. Total, Instruction received, and Instrument Time should be entered in the top, middle, or bottom of the boxes provided as appropriate.
- IV. HAVE YOU FAILED A TEST FOR THIS CERTIFICATE OR RATING? Check appropriate block.

V. APPLICANT'S CERTIFICATION.

- A. SIGNATURE. The way you normally sign your name.
- B. DATE. The date you sign the application.

FAA Form 8710-1 (4-00) Supersedes Previous Edition

TYPE OR PE	TYPE OR PRINT ALL ENTRIES IN INK															
DEPARTMENT OF TRANSPORTATION Airman Certificate and/or Rating Application Airman Certificate and/or Rating Application																
Addition Flight		itial R	enewal	ingle-Engin Reinstate	ment	☐ Airplan		ne 🗆	Commercia Rotorcraft Instructor R	tating		. \square	Airship	☐ Instrume		ed-Lift
							B. SSN (US	Only)		certificate C. Date of Birt Mont	h h Day	Year	Other D. Place of	Birth		
E. Address							F. Citizenshi	ip		Specify			ead, speak, v sh language	write, & unde	_	
City, State, 2	Zip Code						H. Height		Other_ I. Weight		J. Hair	<u> </u>	K. Eyes L. Sex			
M. Do you n	ow hold, or have yo	u ever held a	an FAA Pilot	Certificate?	П	No	N. Grade Pil	ot Certificate		O. Certificate	Number		<u> </u>	P. Date Issu	fem ed	ale
Q. Do you h Medical	old a Certificate?		Yes No	R. Class of C	Certificate	NO	S. Date Issu	ed			T. Name of E	xaminer				
U. Have you	ever been convicted	d for violatio		leral or State	statutes rela	ating to narc	otic drugs, m	arijuana, or d	lepressant or	stimulant drug	s or substanc	es?		V. Date of F	inal Convict	ion
	ate or Rating A													•		
_ ^.	Completion of Required Test	1. Aircraft t	to be used (i	f flight test re	quired)			2a. Total tim	e in this aircr	raft / SIM / FTD	hours	i	2b. Pilot in	command	hours	
_	Military Competence	1. Service						2. Date Rate	d					Grade and Se		er
	Obtained In			in last 12 mo			itary Aircraft.			4b. US Militar	y PIC & Instru	iment check				
	Graduate of Approved Course			f Training Ag	•	ning Center	· 						1a. Certification Number			
	Course	z. Gurriculu	iiii From wiii	cn Graduated	•								3. Date			
	Holder of Foreign License	1. Country					2. Grade of I	_icense				3. Number				
	Issued By	4. Ratings														
	Completion of Air Carrier's Approved Training Program	1. Name of	Air Carrier								I_{\Box}	n Curriculum				
	RD OF PILOT TI	ME (Do no	t write in									initia		Upgrade	<u> </u>	insition
	Total	Instruction Received	Solo	Pilot in Command (PIC)	Cross Country Instruction Received	Cross Country Solo		Instrument	Night Instruction Received	Night Take-off/ Landings	Night PIC	Night Take-Off/ Landing PIC	Number of Flights	Number of Aero-Tows	Number of Ground Launches	Number of Powered Launches
Airplanes				SIC			SIC				SIC	SIC				
Rotor- craft				PIC			PIC				PIC	PIC				
Powered				PIC			PIC				PIC	PIC				
Lift				SIC			SIC				SIC	sic				
Gliders																
Lighter Than Air																
Simulator Training Device																
PCATD	ou failed - tt f	thin courte		2			Yee		No.							
V. Applicated and I agree	ou failed a test for ants's Certificat ee that they are mpanies this for	ion I cer to be cons	rtify that a	III stateme				me on this								
	hat accompanies this form. Signature of Applicant Date															

FAA Form 8710-1 (4-00) Supersedes Previous Edition

NSN: 0052-00-682-5007

	l ha	Instructor's ave personally instructed the applica	Recommendation					
Date	Instructor's Signature		Certificate No:	Certificate No:			Certificate Expires	
The applicant has succes	sfully completed our	Air Agency's	s Recommendatio	n e, and is recommended fo	r certification o	or rating		
without further		test.		.,				
Date	Agency Name and Nur	mber		Officials Signature				
				Title				
I have personally re of 14 CFR Part 61 fo	icate Issued (Copy attached) sviewed this applicant's pilot lo r the certificate or rating soug sviewed this applicant's gradua sted and/or verified this applic Approved Temporar	nated Examiner or Airma ogbook and/or training record, and c pht. ation certificate, and found it to be ap cant in accordance with pertinent pro ry Certificate Issued (Original Attach proval Notice Issued (Original Attach	ertify that the individual me opropriate and in order, and ocedures and standards wit ed)	ets the pertinent requiren	nents			
Location of Test (Facility,		Noval Notice Issued (Original Attach	eu)			n of Test		
				Ground	Simula	ator/FTD	Flight	
Certificate or Rating for V	Vhich Tested		Type(s) of Aircraft Used	Regist	ration No.(s)			
Date	Examiner's Signature (I	Print Name & Sign)	Certificate No.	Design	nation No.		Designation Expires	
Oral Approved Simulator/Trair Aircraft Flight Check Advanced Qualification P	li [ning Device Check [pator's Record (Use For Anspector Examiner	Signature and Ce				Date	
necessary requirements	with the result indicated below. Approved Temporary Certific	Aviation Safety Insp ith or have otherwise verified that thi cate Issued (Original Attached)	is applicant complies with p		Original Attach	ed)		
Location of Test (Facility,	, City, State)			Ground		on of Test ator/FTD	Flight	
Certificate or Rating for V	Vhich Tested		Type(s) of Aircraft Used	Regist	ration No.(s)			
	endation Rejected	Certificate or Rating Base Military Competer Foreign License Approved Course Other Approved F	nce	Rei		ased on Training	Instructor g Course and consibilities	
Training Course (FIRC) N	ame	Graduati	ion Certificate No.			Date		
Date	Inspector's Signature	(Print Name & Sign)		Certificate No.		FAA Distric	t Office	
Attachments: Student Pilot Certific Knowledge Test Rep Temporary Airman C Notice of Disapprova	port	Airman's Identification (ID) Form of ID Number Expiration Date		ID: Name: Date of Birth: Certificate Number				
Superseded Airman		Telephone Number		E-Mail Address				

FAA Form 8710-1 (4-00) Supersedes Previous Edition

NSN: 0052-00-682-5007

Stage 1 Exam 🖾 Instrument Flight

Circle the most correct answer choice.

- **1.** How many hours are required for completion of the Instrument Rating, following a Part 141 program?
 - A —35 hours of flight training, 30 hours of ground training.
 - B —40 hours of flight training, 35 hours of ground training.
 - C —73 hours of flight training, 40 hours of ground training.
- **2.** What must be completed before the student can move on to the next Module?
 - A —Student must complete the review questions following each reading assignment.
 - B —Student must meet the objective specified for each module.
 - C —Both A and B.
- **3.** In order for students to succeed in this Part 141 program
 - A —all objectives must be met for each module, homework completed, and Stage Exams passed with at least an 80%.
 - B—all objectives must be met for each module.
 - C —all objectives must be met for each module, homework completed, and Stage Exams passed with at least a 70%.
- **4.** What are the three fundamental skills involved in attitude instrument flying?
 - A —Instrument interpretation, trim application, and aircraft control.
 - B Cross-check, instrument interpretation, and aircraft control.
 - C Cross-check, emphasis, and aircraft control.
- **5.** Eye movement radiating out and back to selected instruments is known as the
 - A —circular scan.
 - B —basic-T scan.
 - C —selective radial scan.

Name:	
Grade:	Date:
Instructor:	

- **6.** If you are departing from an airport where you cannot obtain an altimeter setting, you should:
 - A —set 29.92 in. Hg in the pressure window of the altimeter.
 - B—set the altimeter to read field elevation.
 - C—set the altimeter to read zero.
- **7.** As you roll into a standard-rate turn to the left from an easterly heading in the northern hemisphere, the magnetic compass will indicate:
 - A —the approximate correct magnetic heading if the roll into the turn is smooth.
 - B —due east for a short time, then gradually catch up with the heading of the aircraft.
 - C—a turn to the right, but at a slower rate than is actually occurring.
- **8.** As power is reduced to change airspeed from high to low cruise in level flight, which instrument is primary for pitch?
 - A —Attitude indicator.
 - B Vertical speed indicator.
 - C—Altimeter.
- **9.** What tolerances must be maintained to perform instrument straight-and-level flight according to the Instrument Practical Test Standards?
 - A —Altitude must be maintained ± 100 feet, heading $\pm 10^{\circ}$, and airspeed ± 10 knots.
 - B —Altitude must be maintained ± 150 feet, heading $\pm 15^{\circ}$, and airspeed ± 15 knots.
 - C —Altitude must be maintained ± 100 feet, heading $\pm 15^{\circ}$, and airspeed ± 15 knots.
- **10.** To enter a climb at the same speed at which the airplane is flying level:
 - A —raise the nose first, and then add power.
 - B—add power and raise the nose simultaneously.
 - C—add power first, and then raise the nose.

- **11.** Approximately what percentage of the indicated vertical speed should be used to determine the number of feet to lead the level-off from a climb or descent to a specific altitude?
 - A —20%.
 - B —10%.
 - C 50%.
- **12.** If a standard rate turn is maintained, how much time would be required to turn to the left from a heading of 090° to a heading of 300°?
 - A —30 seconds.
 - B —40 seconds.
 - C —50 seconds.
- **13.** The primary reason the angle of attack must be increased, to maintain a constant altitude during a coordinated turn, is because the
 - A —thrust is acting in a different direction, causing a reduction in airspeed and loss of lift.
 - B —vertical component of lift has decreased as the result of the bank.
 - C—use of ailerons has increased the drag.
- **14.** What is the correct sequence for recovery from a spiraling, nose-low, increasing airspeed, unusual flight attitude?
 - A —Increase pitch attitude, reduce power, and level wings.
 - B —Reduce power, correct the bank attitude, and raise the nose to a level attitude.
 - C —Reduce power, raise the nose to level attitude, and correct the bank attitude.
- **15.** During recoveries from unusual attitudes, level flight is attained the instant
 - A —the horizon bar on the attitude indicator is exactly overlapped with the miniature airplane.
 - B—a zero rate of climb is indicated on the VSI.
 - C —the altimeter and airspeed needles stop prior to reversing their direction of movement.
- **16.** The heading indicator is inoperative. What is the primary bank instrument in unaccelerated level flight on a specific heading?
 - A —Magnetic compass.
 - B Attitude indicator.
 - C Turn coordinator.

- **17.** Which instrument provides the most pertinent information (primary) for pitch correction requirements in straight-and-level flight?
 - A —Vertical speed indicator.
 - B Altimeter.
 - C—Attitude indicator.
- **18.** What instrument indication should a pilot observe if an airspeed indicator ram air input and drain hole are blocked?
 - A —The airspeed indicator will react as an altimeter.
 - B The airspeed indicator will show a decrease with an increase in altitude.
 - C —No airspeed indicator change will occur during climbs or descents.
- **19.** Which data must be recorded in the aircraft log or other appropriate log by a pilot making a VOR operational check for IFR operations?
 - A —VOR name or identification, date of check, amount of bearing error, and signature.
 - B —Place of operational check, amount of bearing error, date of check, and signature.
 - C —Date of check, VOR name or identification, place of operational check, and amount of bearing error.
- **20.** Who is responsible for determining that the altimeter system has been checked and found to meet regulatory requirements for a particular instrument flight?
 - A —Owner.
 - B Operator.
 - C —Pilot-in-command.
- **21.** Which checks and inspections of flight instruments or instrument systems must be accomplished before an aircraft can be flown under IFR?
 - A —VOR within 30 days, altimeter systems within 24 calendar months, and transponder within 24 calendar months.
 - B —ELT test within 30 days, altimeter systems within 12 calendar months, and transponder within 24 calendar months.
 - C VOR within 24 calendar months, transponder within 24 calendar months, and altimeter system within 12 calendar months.

- **22.** What minimum navigation equipment is required for IFR flight?
 - A —VOR/LOC receiver, transponder, and DME.
 - B VOR receiver and, if in ARTS III environment, a coded transponder equipped for altitude reporting.
 - C Navigation equipment appropriate to the ground facilities to be used.
- **23.** How should you preflight check the altimeter prior to an IFR flight?
 - A —Set the altimeter to 29.92" Hg. With current temperature and the altimeter indication, determine the true altitude to compare with the field elevation.
 - B —Set the altimeter first with 29.92" Hg and then the current altimeter setting. The change in altitude should correspond to the change in setting.
 - C —Set the altimeter to the current altimeter setting. The indication should be within 75 feet of the actual elevation for acceptable accuracy.
- **24.** According to the Instrument Practical Test Standards, a steep turn must be performed maintaining
 - A —a coordinated 360° turn (both left and right), with an approximate 45° bank, ±5 degrees, rolling out on the entry heading, ±10°.
 - B —a 50° bank, ±10°, while coordinating a 360° turn
 - C—±100 feet, ±10 knots, ±10° of bank, and coordination.
- **25.** What is the primary pitch instrument when establishing a constant-attitude standard rate turn?
 - A —Altimeter.
 - B—VSI.
 - C Airspeed indicator.

- **26.** Before beginning any flight under IFR, the pilot-incommand must become familiar with all available information concerning that flight. In addition, the pilot must
 - A —list an alternate airport on the flight plan and become familiar with the instrument approaches to that airport.
 - B —list an alternate airport on the flight plan and confirm adequate takeoff and landing performance at the destination airport.
 - C —be familiar with the runway lengths at airports of intended use, and the alternatives available if the flight cannot be completed.
- **27.** During a constant-bank level turn, what effect would an increase in airspeed have on the rate and radius of turn?
 - A —Rate of turn would increase, and radius of turn would increase.
 - B —Rate of turn would decrease, and radius of turn would decrease.
 - C —Rate of turn would decrease, and radius of turn would increase.
- **28.** What instruments are primary for pitch, bank, and power, respectively, when transitioning into a constant airspeed climb from straight-and-level flight?
 - A —Attitude indicator, heading indicator, and manifold pressure gauge or tachometer.
 - B Attitude indicator for both pitch and bank; airspeed indicator for power.
 - C Vertical speed, attitude indicator, and manifold pressure or tachometer.



Stage 2 Exam 🖾 Navigation

Circle the most correct answer choice.

1. What approximate rate of descent in fpm is required to achieve a 3° glideslope, which is 300 feet per NM, if the groundspeed of the airplane is 90 knots?

A —300 fpm.

B —450 fpm.

C —550 fpm.

2. The approximate range of any VHF signals for an airplane 2,000 feet above the level of a ground station is

A —45 NM.

B —61 NM.

C —55 NM.

3. If a radar service is not available, then ATC will separate airplanes using procedures based on their estimated positions and known altitudes. This is known as:

A —procedural separation.

B —nonradar separation.

C—standby separation.

4. FAA radar locations are found in the

A — Aeronautical Information Manual.

B — Airport/Facility Directory.

C —Low Altitude Enroute Chart legend.

- Name: _____ Date: _____ Date: _____
 - **5.** The coded identifier of the DME is transmitted about once every

A —30 seconds.

B—10 seconds.

C—45 seconds.

6. If an airplane tracking directly toward a DME is at 37 DME at time: 0115, and at 27 DME at time: 0120, what is its groundspeed?

A —120 kts.

B —86 kts.

C —140 kts.

7. (Refer to instruments in Exam Figure 1, below.) On the basis of this information, the magnetic bearing TO the station would be

A -175° .

B -255° .


C —355°.

8. If an airplane steering MH 250 has a reading of 030 on its relative bearing indicator, what is the magnetic bearing of the airplane FROM the NDB?

A —MB 280 from the NDB.

B — MB 100 from the NDB.


C —MB 080 from the NDB.



Exam Figure 1. Directional Gyro and ADF indicator

9. On MH 020 with RB 355, the MB to the NDB is **16.** Minimums for an ILS approach with all components operative normally establish a DH with a HAT of A —MB 015 to NDB. B — MB 020 to NDB. A —800 feet. C —MB 025 to NDB. B — 500 feet. C —200 feet. 10. MH 080; RBI 000. What heading would you steer to make a 90° intercept of a course of MC 040 to **17.** By which means may a pilot determine if a Loran C the NDB? equipped aircraft is approved for IFR operations? A —Not necessary; Loran C is not approved for IFR. A —Left turn to MH 130. B—Right turn to MH 130. B — Check aircraft logbook. C—Right turn to MH 310. C — Check in the Airplane Flight Manual Supplement. 11. If the head of the RMI needle reads RMI 070, the magnetic bearing from the ground station to the **18.** When using GPS for navigation and instrument approaches, any required alternate airport must have airplane is A —MB 250 from ground station. A —authorization to fly approaches under IFR using GPS avionics systems. B —MB 070 from ground station. B—a GPS approach that is anticipated to be C —MB 355 from ground station. operational and available at the ETA. **12.** The desired course is MC 120 outbound from an C — an approved operational instrument approach NDB or VOR. The WCA is 3° left. The airplane procedure other than GPS. is achieving this course when the head of the RMI needle indicates 19. How can a pilot determine if a Global Postioning System (GPS) installed in an aircraft is approved A —RMI 120. for IFR enroute and IFR approaches? B—RMI 300. A —Flight manual supplement. C—RMI 310. B—GPS operator's manual. C — Aircraft owner's handbook. **13.** A 5-dot deviation of the CDI on the VOR cockpit display indicates a displacement of _____ from the selected course **20.** (Refer to Exam Figure 2, Page 2-3.) Which OBS selection on the No. 2 NAV would center the CDI A -10° or more and change the ambiguity indication to a TO? B -5° or more $C - 12^{\circ}$ or more A -166° . B -346° . **14.** If the CDI is centered with 090 set on the OBI, and $C - 354^{\circ}$. the TO flag is showing, what radial is the airplane on? **21.** When is an IFR flight plan required? A —135 radial. B —090 radial. A —When less than VFR conditions exist in either Class E or Class G airspace, and in Class A C — 270 radial. airspace. B —In all Class E airspace when conditions are **15.** If two components of an ILS are unusable, the below VFR, in Class A airspace, and in appropriate minimum to use is: defense zone airspace. A —the highest minimum required by any single C —In Class E airspace when IMC exists, or in component that is unusable. Class A airspace. B—the same minimum for the fully operational **22.** Prior to which operation must an IFR flight plan be C—the normal minimum plus 100 feet. filed and an appropriate ATC clearance received? A —Flying by reference to instruments in controlled airspace. B —Entering controlled airspace when IMC exists.

C — Takeoff when IFR weather conditions exist.



Exam Figure 2. No. 1 and No. 2 NAV presentation

- **23.** VOR station passage is indicated by
 - A —the first positive, complete reversal of the TO-FROM indicator.
 - B —the moment the TO-FROM indicator becomes blank.
 - C—the first full-scale deflection of the CDI.
- **24.** Determine the approximate time and distance to a station if a 5° wing-tip bearing change occurs in 1.5 minutes with a true airspeed of 95 knots.
 - A —16 minutes and 14.3 NM.
 - B—18 minutes and 28.5 NM.
 - C—18 minutes and 33.0 NM.
- **25.** A particular VOR station is undergoing routine maintenance. This is evidenced by
 - A —removal of the navigational feature.
 - B —broadcasting a maintenance alert signal on the voice channel.
 - C —removal of the identification feature.

- **26.** You wish to track MC 030 in no-wind conditions. What magnetic heading would you steer?
 - A —MH 030.
 - B MH 210.
 - C MH 120.
- **27.** Current charts must be used at all times. Low Altitude Enroute charts are revised
 - A —every 56 days.
 - B —no more than once a year.
 - C—every 6 months.



Stage 3 Exam Holding Procedures

Circle the most correct answer choice.

1.	The	shape	of a	typical	holding	pattern	is	a

- A —rectangle.
- B —racetrack.
- C—ellipse.
- **2.** (Refer to Exam Figure 1, Page 3-3.) You receive this ATC clearance:
 - "... cleared to the XYZ VORTAC. Hold north on the three six zero radial, left turns..."

What is the recommended procedure to enter the holding pattern?

- A —Parallel only.
- B Direct only.
- C Teardrop only.
- **3.** A procedure turn should normally be completed within _____ NM of the procedure turn fix, or as otherwise published on the instrument approach chart.
 - A —10 NM
 - B 20 NM
 - C 5 NM
- **4.** When the approach procedure involves a procedure turn, the maximum speed should not be greater than
 - A —180 knots IAS.
 - B —200 knots IAS.
 - C —250 knots IAS.
- **5.** To maintain a right-hand DME arc with a right crosswind component, the bearing pointer should be
 - A —on the right wingtip.
 - B—ahead of the right wingtip.
 - C —behind the right wingtip.
- **6.** For each ½ NM you have drifted outside a DME arc, a suitable heading change is approximately
 - A = 10-20 degrees away from the arc.
 - B—10-20 degrees toward the arc.
 - C 5-10 degrees away from the arc.

Name:		
Grade:	Date:	
Instructor		

- **7.** The minimum instrument time required, within the last 6 months, to be current for IFR is
 - A —6 approaches, holding procedures, and intercepting and tracking courses through the use of navigation systems.
 - B —6 hours in the same category aircraft.
 - C —6 hours in the same category aircraft, and at least 3 of the 6 hours in actual conditions.
- **8.** Which flight time may be logged as instrument time when on an instrument flight plan?
 - A —All of the time the aircraft was not controlled by ground references.
 - B —Only the time you controlled the aircraft solely by reference to flight instruments.
 - C —Only the time you were flying in IFR weather conditions.
- **9.** When departing in IMC conditions from an airport located in Class G airspace, you must file a flight plan and receive an ATC clearance before:
 - A —takeoff.
 - B —entering IFR conditions.
 - C —entering controlled airspace.
- **10.** You are in IMC and have two-way radio communications failure. If you do not exercise emergency authority, what procedure are you expected to follow?
 - A —Set transponder to code 7600, continue flight on assigned route and fly at the last assigned altitude or the MEA, whichever is higher.
 - B Set transponder to code 7700 for 1 minute, then to 7600, and fly to an area with VFR weather conditions.
 - C —Set transponder to 7700 and fly to an area where you can let down in VFR conditions.
- **11.** Which condition is guaranteed for all of the following altitude limits: MAA, MCA, MRA, MOCA, and MEA (Non-mountainous area.)
 - A —Adequate navigation signals.
 - B Adequate communications.
 - C —1,000-foot obstacle clearance.

- **12.** What is the definition of MEA?
 - A —The lowest published altitude which meets obstacle clearance requirements and assures acceptable navigational signal coverage.
 - B The lowest published altitude which meets obstacle requirements, assures acceptable navigational signal coverage, two-way radio communications, and provides adequate radar coverage.
 - C —An altitude which meets obstacle clearance requirements, assures acceptable navigation signal coverage, two-way radio communications, adequate radar coverage, and accurate DME mileage.
- **13.** What is an operational consideration if you fly into rain which freezes on impact?
 - A —You have flown into an area of thunderstorms.
 - B Temperatures are above freezing at some higher altitude.
 - C You have flown through a cold front.
- **14.** Test data indicate that ice, snow, or frost on the leading edge and upper surface of a wing, having a thickness and roughness similar to medium or course sandpaper can
 - A —reduce lift by as much as 50 percent and increase drag by as much as 50 percent.
 - B increase drag and reduce lift by as much as 25 percent.
 - C —reduce lift by as much as 30 percent and increase drag by 40 percent.
- **15.** What condition is most conducive to the formation of radiation fog?
 - A —Warm, moist air over low, flatland areas on clear, calm nights.
 - B Moist, tropical air moving over cold, offshore water.
 - C The movement of cold air over much warmer water.
- **16.** Under which condition does advection fog usually form?
 - A —Moist air moving over colder ground or water.
 - B Warm, moist air settling over a cool surface under no-wind conditions.
 - C —A land breeze blowing a cold air mass over a warm water current.

- **17.** (Refer to Exam Figure 2, Page 3-3.) You receive this ATC clearance:
 - "...cleared to the XYZ NDB. Hold northeast on the zero four zero degree bearing from the NDB. Left turns..."

At station passage you note the indications in Figure 2. What is the recommended procedure to enter the holding pattern?


- A —Direct only.
- B Teardrop only.
- C —Parallel only.
- **18.** What timing procedure should be used when performing a holding pattern at a VOR?
 - A —Timing for the outbound leg begins over or abeam the VOR, whichever occurs later.
 - B Timing for the inbound leg begins when initiating the turn inbound.
 - C —Adjustments in timing of each pattern should be made on the inbound leg.
- **19.** When holding at an NDB, at what point should the timing begin for the second leg outbound?
 - A —When the wings are level and the wind drift correction angle is established after completing the turn to the outbound heading.
 - B When the wings are level after completing the turn to the outbound heading, or abeam the fix, whichever occurs first.
 - C When abeam the holding fix.
- **20.** At what point should the timing begin for the first leg outbound in a nonstandard holding pattern?
 - A —Abeam the holding fix, or wings level, whichever occurs last.
 - B When the wings are level at the completion of the 180° turn outbound.
 - C When abeam the holding fix.
- **21.** When more than one circuit of the holding pattern is needed to lose altitude or become better established on course, the additional circuits can be made
 - A —at pilot's discretion.
 - B —only in an emergency.
 - C—only if pilot advises ATC.

- **22.** If during a VFR practice instrument approach, Radar Approach Control assigns an altitude or heading that will cause you to enter the clouds, what action should be taken?
 - A —Enter the clouds, since ATC authorization for practice approaches is considered an IFR clearance.
 - B Avoid the clouds and inform ATC that altitude/ heading will not permit VFR.
 - C Abandon the approach.
- **23.** What does declaring "minimum fuel" to ATC imply?
 - A —Traffic priority is needed to the destination airport.
 - B —Emergency handling is required to the nearest usable airport.
 - C —Merely an advisory that indicates an emergency situation is possible should any undue delay occur.
- **24.** Which clearance items are always given in an abbreviated IFR departure clearance? (Assume radar environment.)
 - A —Altitude, destination airport, and one or more fixes which identify the initial route of flight.
 - B Destination airport, altitude, and DP Name-Number-Transition, if appropriate.
 - C —Clearance limit, and DP Name, Number, and/ or Transition, if appropriate.

- **25.** What are the minimum fuel requirements for airplanes in IFR conditions, if the first airport of intended landing is forecast to have a 1,500-foot ceiling and 3 miles visibility at flight-planned ETA? Fuel to fly to the first airport of intended landing,
 - A —and fly thereafter for 45 minutes at normal cruising speed.
 - B —fly to the alternate, and fly thereafter for 45 minutes at normal cruising speed.
 - C —fly to the alternate, and fly thereafter for 30 minutes at normal cruising speed.



Exam Figure 1. Aircraft course and DME indicator



Exam Figure 2. Heading and ADF indicator



Stage 4 Exam 🖾 Instrument Approaches

Circle the most correct answer choice.

- **1.** How can an IAF be identified on a Standard Instrument Approach Procedure (SIAP) Chart?
 - A —The procedure turn and the fixes labeled IAF where no procedure turn is authorized.
 - B Any fix illustrated within the 10-mile ring other than the FAF or stepdown fix.
 - C The procedure turn and the fixes on the feeder facility ring.
- **2.** During an instrument precision approach, terrain and obstacle clearance depends on adherence to
 - A —minimum altitude shown on the IAP.
 - B —terrain contour information.
 - C natural and man-made reference point information.
- 3. Standard takeoff minimums are stated as
 - A —visibility.
 - B—cloud ceiling.
 - C—both A and B.
- **4.** To accept a DP you must have with you in the cockpit at least
 - A —a textual description.
 - B—a diagram.
 - C—a textual description and a diagram.
- **5.** You should circle-to-land at the
 - A —decision height.
 - B—circling MDA.
 - C straight-in MDA.
- **6.** If the pilot loses visual reference while circling to land from an instrument approach and ATC radar service is not available, the missed approach action should be to
 - A —execute a climbing turn to parallel the published final approach course and climb to the initial approach altitude.
 - B —climb to the published circling minimums then proceed direct to the final approach fix.
 - C —make a climbing turn toward the landing runway and continue the turn until established on the missed approach course.

Name:		
Grade:	Date:	
Instructor:		

- **7.** What determines the structure or type of clouds which form as a result of air being forced to ascend?
 - A —The method by which the air is lifted.
 - B The stability of the air before lifting occurs.
 - C The amount of condensation nuclei present after lifting occurs.
- **8.** Steady precipitation, in contrast to showers, preceding a front is an indication of
 - A —stratiform clouds with moderate turbulence.
 - B—cumuliform clouds with little or no turbulence.
 - C—stratiform clouds with little or no turbulence.
- **9.** What are the requirements for the formation of a thunderstorm?
 - A —A cumulus cloud with sufficient moisture.
 - B —A cumulus cloud with sufficient moisture and an inverted lapse rate.
 - C Sufficient moisture, an unstable lapse rate, and a lifting action.
- **10.** What procedure is recommended if a pilot should unintentionally penetrate embedded thunderstorm activity?
 - A —Reverse aircraft heading or proceed toward an area of known VFR conditions.
 - B —Reduce airspeed to maneuvering speed and maintain a constant altitude.
 - C —Set power for recommended turbulence penetration airspeed and attempt to maintain a level flight attitude.
- **11.** A jet stream is defined as wind of
 - A —30 knots or greater.
 - B—40 knots or greater.
 - C 50 knots or greater.
- **12.** The strength and location of the jet stream is normally
 - A —stronger and farther north in the winter.
 - B —weaker and farther north in the summer.
 - C—stronger and farther north in the summer.

- **13.** (Refer to Exam Figure 1, Page 4-4.) The symbol [2800] on the plan view of the VOR/DME-A procedure at 7D3 represents a minimum safe sector altitude within 25 NM of
 - A —DEANI intersection.
 - B White cloud VORTAC.
 - C —Baldwin Municipal Airport.
- **14.** (Refer to Exam Figure 1, Page 4-4.) What minimum navigation equipment is required to complete the VOR/DME-A procedure?
 - A —One VOR receiver.
 - B One VOR receiver and DME.
 - C —Two VOR receivers and DME.
- **15.** The minimum aircraft radio-navigation equipment needed to perform a NDB approach is
 - A —ADF.
 - B—VOR and ADF.
 - C DME and ADF.
- **16.** (Refer to Exam Figure 2, Page 4-5.) Category A aircraft
 Last assigned altitude 3,000 feet

If cleared for NDB RWY 28 approach (Lancaster/Fairfield) over ZZV VOR, the flight would be expected to

- A —proceed straight in from CRISY to the S-28 minimums of 1620-1.
- B —proceed to CRISY, then execute the teardrop procedure as depicted on the approach chart.
- C —proceed direct to CASER, then straight in to S-28 minimums of 1620-1.
- **17.** While being vectored, if crossing the ILS final approach course becomes imminent and an approach clearance has not been issued, what action should be taken by the pilot?
 - A —Turn outbound on the final approach course, execute a procedure turn, and inform ATC.
 - B Turn inbound and execute the missed approach procedure at the outer marker if approach clearance has not been received.
 - C Maintain the last assigned heading and query ATC.

- **18.** (Refer to Exam Figure 3, Page 4-6.) Using a groundspeed of 90 knots on the ILS final approach course, what rate of descent should be used as a reference to maintain the ILS glide slope?
 - A —415 feet per minute.
 - B —480 feet per minute.
 - C —555 feet per minute.
- **19.** (Refer to Exam Figure 4, Page 4-7.) Under which conditions should the missed approach procedure for the RNAV RWY 33 approach be initiated?
 - A —Immediately upon reaching the 5.0 DME from the FAF.
 - B When passage of the MAP waypoint is shown on the ambiguity indicator.
 - C After the MDA is reached and 1.8 DME fix from the MAP waypoint.
- **20.** If an early missed approach is initiated before reaching the MAP, the following procedure should be used unless otherwise cleared by ATC.
 - A —Proceed to the missed approach point at or above the MDA or DH before executing a turning maneuver.
 - B —Begin a climbing turn immediately and follow missed approach procedures.
 - C Maintain altitude and continue past MAP for 1 minute or 1 mile, whichever occurs first.
- **21.** What are the main differences between a visual approach and a contact approach?
 - A —The pilot must request a contact approach; the pilot may be assigned a visual approach and higher weather minimums must exist.
 - B The pilot must request a visual approach and report having the field in sight; ATC may assign a contact approach, if VFR conditions exist.
 - C Any time the pilot reports the field in sight,
 ATC may clear the pilot for a contact approach;
 for a visual approach, the pilot must advise
 that the approach can be made under VFR
 conditions.


- **22.** When may a pilot make a straight-in landing, if using an IAP having only circling minimums?
 - A —A straight-in landing may not be made, but the pilot may continue to the runway at MDA and then circle to land on the runway.
 - B The pilot may land straight-in if the runway is the active runway and he has been cleared to land.
 - C —A straight-in landing may be made if the pilot has the runway in sight in sufficient time to make a normal approach for landing, and has been cleared to land.
- **23.** Assume this clearance is received:

"Cleared for ILS Runway 07 left approach, sidestep to runway 07 right."


When would the pilot be expected to commence the side-step maneuver?

- A —As soon as possible after the runway environment is in sight.
- B —Any time after becoming aligned with the final approach course of Runway 07 left, and after passing the final approach fix.
- C —After reaching the circling minimums for Runway 07 right.
- **24.** What does the absence of the procedure turn barb on the planview on an approach chart indicate?
 - A —A procedure turn is not authorized.
 - B Teardrop-type procedure turn is authorized.
 - C —Racetrack-type procedure turn is authorized.
- **25.** (Refer to Exam Figure 5, Page 4-8.) What is the landing minimum if you are cleared for the LOC RWY S-18 approach at Stapleton International?
 - A —5.000 RVR.
 - B 300-foot ceiling and 1 mile visibility.
 - C—1 mile visibility.


- **26.** Which fixes on the IAP Charts are initial approach fixes?
 - A —Any fix on the enroute facilities ring, the feeder facilities ring, and those at the start of arc approaches.
 - B —Only the fixes at the start of arc approaches and those on either the feeder facilities ring or enroute facilities ring that have a transition course shown to the approach procedure.
 - C—Any fix that is identified by the letters IAF.
- **27.** Where a holding pattern is specified in lieu of a procedure turn, the holding maneuver must be executed within
 - A —the 1 minute time limitation or published leg length.
 - B—a radius of 5 miles from the holding fix.
 - C—10 knots of the specified holding speed.
- **28.** You enter a holding pattern at a fix, not the same as the approach fix, and receive an EFC time of 1530. At 1520 you experience complete two-way communications failure. Which procedure should you follow to execute the approach to a landing?
 - A —Depart the holding fix to arrive at the approach fix as close as possible to the EFC time and complete the approach.
 - B Depart the holding fix at the EFC time, and complete the approach.
 - C —Depart the holding fix at the EFC time or earlier if your flight planned ETA is before the EFC.




Exam Figure 1. VOR/DME-A (7D3)




Exam Figure 2. NDB RWY 28, Lancaster/Fairfield County



Exam Figure 3. ILS RWY 16 (EUG) and excerpt from Airport/Facility Directory



Exam Figure 4. RNAV RWY 33 (ADS)



Exam Figure 5. LOC RWY 8 (DEN)

Stage 5 Exam 🖄

En Route & Prep for Checkride

Circle the most correct answer choice.

- **1.** If you are instructed to descend from your current altitude 16,000 ft MSL to 13,000 ft MSL, you should descend:
 - A —at 500 fpm throughout.
 - B—at the optimum rate throughout.
 - C —at the optimum rate, reducing to 500-1,500 fpm for the last 1,000 feet.
- **2.** The VFR-On-Top cruising altitude is based on:
 - A —true course.
 - B magnetic course.
 - C —magnetic heading.
- **3.** What relationship exists between the winds at 2,000 feet above the surface and the surface winds?
 - A —The winds at 2,000 feet and the surface winds flow in the same direction, but the surface winds are weaker due to friction.
 - B The winds at 2,000 feet tend to parallel the isobars while the surface winds cross the isobars at an angle toward lower pressure and are weaker.
 - C The surface winds tend to veer to the right of the winds at 2,000 feet and are usually weaker.
- **4.** Which weather phenomenon is always associated with the passage of a frontal system?
 - A —A wind change.
 - B An abrupt decrease in pressure.
 - C—Clouds, either ahead or behind the front.
- **5.** What type of clouds will be formed if very stable moist air is forced upslope?
 - A —First stratified clouds and then vertical clouds.
 - B Vertical clouds with increasing height.
 - C Stratified clouds with little vertical development.
- **6.** Which primary source should be used to obtain forecast weather information at your destination for the planned ETA?
 - A Aviation Area Forecast.
 - B —Radar Summary and Weather Depiction Charts.
 - C Terminal Aerodrome Forecast.

Name:	
Grade:	Date:
Instructor:	

- **7.** What is the single source reference that contains information regarding frontal movement, turbulence, and icing conditions for a specific area?
 - A —Terminal Aerodrome Forecast.
 - B Weather Depiction Chart.
 - C Aviation Area Forecast.
- **8.** What is the forecast wind at 1800Z in the following TAF?

KMEM 091640Z 1818 00000KT 1/2SM RAFG OVC005=

- A —Calm.
- B—Unknown.
- C —Not recorded.
- **9.** On what frequency should you obtain Enroute Flight Advisory Service below FL 180?
 - A —122.1T/112.8R.
 - B —123.6.
 - C 122.0.
- **10.** What minimum weather conditions must be forecast for your ETA at an airport that has a precision approach procedure, with standard alternate minimums, in order to list it as an alternate for the IFR flight?
 - A —600-foot ceiling and 2 SM visibility at your ETA.
 - B —600-foot ceiling and 2 SM visibility from 2 hours before to 2 hours after your ETA.
 - C —800-foot ceiling and 2 SM visibility at your ETA.
- **11.** What are the minimum fuel requirements for airplanes in IFR conditions, if the first airport of intended landing is forecast to have a 1,500-foot ceiling and 3 mile visibility at flight-planned ETA? Fuel to fly to the first airport of intended landing,
 - A —and fly thereafter for 45 minutes at normal cruising speed.
 - B —fly to the alternate, and fly thereafter for 45 minutes at normal cruising speed.
 - C—fly to the alternate, and fly thereafter for 30 minutes at normal cruising speed.

12. How much colder than standard temperature is the actual temperature at 9,000 feet, as indicated in the following excerpt from the Winds and Temperature Aloft Forecast?

FT 6000 9000 0737-04 1043-10

A —3°C.

B — 10° C.

C — 7°C.

13. Unsaturated air flowing upslope will cool at the rate of approximately (dry adiabatic lapse rate)

A —3°C per 1,000 feet.

B —2°C per 1,000 feet.

C —2.5°C per 1,000 feet.

14. The station originating the following weather report has a field elevation of 1,300 feet MSL. From the bottom of the overcast cloud layer, what is the thickness? (tops of OVC are reported at 3800 feet)

SPECI KOKC 2228Z 28024G36KT 3/4SM BKN008 OVC020 28/23 A3000

A —500 feet.

B —1,700 feet.

C —2,500 feet.

- **15.** Which meteorological condition is issued in the form of a SIGMET (WS)?
 - A —Widespread sand or duststorms lowering visibility to less than 3 miles.

B — Moderate icing.

- C —Sustained winds of 30 knots or greater at the surface.
- **16.** En route at FL 290, the altimeter is set correctly, but not reset to the local altimeter setting of 30.57" Hg during descent. If the field elevation is 650 feet and the altimeter is functioning properly, what is the approximate indication upon landing?

A —715 feet.

B —1,300 feet.

C —Sea level.

- **17.** What should be the indication on the magnetic compass as you roll into a standard rate turn to the left from a west heading in the Northern hemisphere?
 - A —The compass will initially indicate a turn to the right.
 - B The compass will remain on west for a short time, then gradually catch up to the magnetic heading of the aircraft.
 - C The compass will indicate the approximate correct magnetic heading if the roll into the turn is smooth.
- **18.** What instruments are primary for pitch, bank, and power, respectively, when transitioning into a constant airspeed climb from straight-and-level flight?
 - A —Attitude indicator, heading indicator, and manifold pressure gauge or tachometer.
 - B —Attitude indicator for both pitch and bank; airspeed indicator for power.
 - C Vertical speed, attitude indicator, and manifold pressure or tachometer.
- **19.** What is the correct sequence in which to apply the three skills used in instrument flying?
 - A —Aircraft control, cross-check, and instrument interpretation.
 - B Instrument interpretation, cross-check, and aircraft control.
 - C Cross-check, instrument interpretation, and aircraft control.
- **20.** (Refer to Exam Figure 1, Page 5-5.) What is the correct sequence for recovery from the unusual attitude indicated?
 - A —Reduce power, increase back elevator pressure, and level the wings.
 - B —Reduce power, level the wings, bring pitch attitude to level flight.
 - C —Level the wings, raise the nose of the aircraft to level flight attitude, and obtain desired airspeed.
- **21.** An aircraft which is located 30 miles from a VOR station and shows a ¹/₂-scale deflection on the CDI would be how far from the selected course centerline?

A $-1\frac{1}{2}$ miles.

 $B - 2^{1/2}$ miles.


 $C - 3^{1}/_{2}$ miles.

- **22.** Determine the approximate time and distance to a station if a 5° wing-tip bearing change occurs in 1.5 minutes with a true airspeed of 95 knots.
 - A —16 minutes and 14.3 NM.
 - B—18 minutes and 28.5 NM.
 - C—18 minutes and 33.0 NM.
- **23.** What indication should a pilot receive when a VOR station is undergoing maintenance and may be considered unreliable?
 - A —No coded identification, but possible navigation indications.
 - B —Coded identification, but no navigation indications.
 - C —A voice recording on the VOR frequency announcing that the VOR is out of service for maintenance.
- **24.** The minimum requirements, within the last 6 months, to be current for IFR is
 - A —6 instrument approaches, holding procedures, and intercepting and tracking courses through the use of navigation systems, in the appropriate category of aircraft for the instrument privileges sought.
 - B—6 hours in the same category aircraft.
 - C —6 hours in the same category aircraft, and at least 3 of the 6 hours in actual conditions.
- **25.** Which airspace is defined as a transition area when designated in conjunction with an airport which has a prescribed IAP?
 - A —The Class E airspace extending upward from 700 feet or more above the surface and terminating at the base of the overlying controlled airspace.
 - B That Class D airspace extending from the surface and terminating at the base of the continental control area.
 - C The Class C airspace extending from the surface to 700 or 1,200 feet AGL, where designated.
- **26.** Which procedure is recommended to prevent or overcome spatial disorientation?
 - A —Reduce head and eye movements to the extent possible.
 - B—Rely on the kinesthetic sense.
 - C —Rely on the indications of the flight instruments.


- **27.** Before beginning any flight under IFR, the pilot-incommand must become familiar with all available information concerning that flight. In addition, the pilot must
 - A —list an alternate airport on the flight plan and become familiar with the instrument approaches to that airport.
 - B —list an alternate airport on the flight plan and confirm adequate takeoff and landing performance at the destination airport.
 - C —be familiar with the runway lengths at airports of intended use, and the alternatives available if the flight cannot be completed.
- **28.** What minimum weather conditions must be forecast for your ETA at an airport that has only a VOR approach with standard alternate minimums, for the airport to be listed as an alternate on the IFR flight plan?
 - A —800-foot ceiling and 1 statute mile (SM) visibility.
 - B —800-foot ceiling and 2 SM visibility.
 - C —1,000-foot ceiling and visibility to allow descent from minimum enroute altitude (MEA), approach, and landing under basic VFR.
- **29.** MEA is an altitude which assures
 - A —obstacle clearance, accurate navigational signals from more than one VORTAC, and accurate DME mileage.
 - B —a 1,000-foot obstacle clearance within 2 miles of an airway and assures accurate DME mileage.
 - C —acceptable navigational, signal coverage and meets obstruction clearance requirements.
- **30.** What action should you take if your No. 1 VOR receiver malfunctions while operating in controlled airspace under IFR? Your aircraft is equipped with two VOR receivers. The No. 1 receiver has Omni/ Localizer/Glide slope capability, and the No. 2 has only Omni.
 - A —Report the malfunction immediately to ATC.
 - B —Continue the flight as cleared; no report is required.
 - C —Continue the approach and request a VOR or NDB approach.

- **31.** Which procedure should you follow if you experience two-way communications failure while holding at a holding fix with an EFC time? (The holding fix is not the same as the approach fix.)
 - A —Depart the holding fix to arrive at the approach fix as close as possible to the EFC time.
 - B —Depart the holding fix at the EFC time.
 - C —Proceed immediately to the approach fix and hold until EFC.
- **32.** At what point should the timing begin for the first leg outbound in a nonstandard holding pattern?
 - A —Abeam the holding fix, or wings level, whichever occurs last.
 - B When the wings are level at the completion of the 180° turn outbound.
 - C When abeam the holding fix.
- **33.** (Refer to Exam Figure 2, Page 5-6.) Using an average groundspeed of 90 knots, what constant rate of descent from 2,400 feet MSL at the 6 DME fix would enable the aircraft to arrive at 2,000 feet MSL at the FAF?
 - A —200 feet per minute.
 - B—400 feet per minute.
 - C —600 feet per minute.
- **34.** (Refer to Exam Figure 3, Page 5-7.) At which points may you initiate a descent to the next lower minimum altitude when cleared for the VOR RWY 36 approach, from the PUC R-095 IAF (DME operative)?
 - A —Start descent from 8,000 when established on final, from 7,500 when at the 4 DME fix, and from 6,180 when landing requirements are met.
 - B —Start descent from 8,000 when established on the PUC R-186, from 6,400 at the 4 DME fix, and from 6,180 when landing requirements are
 - C Start descent from 8,000 at the R-127, from 6,400 at the LR-127, from 6,180 at the 4 DME.
- **35.** If the pilot loses visual reference while circling to land from an instrument approach and ATC radar service is not available, the missed approach action should be to
 - A —execute a climbing turn to parallel the published final approach course and climb to the initial approach altitude.
 - B —climb to the published circling minimums then proceed direct to the final approach fix.
 - C —make a climbing turn toward the landing runway and continue the turn until established on the missed approach course.


- **36.** Which of these facilities may be substituted for an MM during a complete ILS IAP?
 - A —Surveillance and precision radar.
 - B —Compass locator and precision radar.
 - C—A VOR/DME fix.
- **37.** (Refer to Exam Figure 4, Page 5-8.) What type of entry is recommended for the missed approach holding pattern at Riverside Municipal?
 - A —Direct.
 - B —Parallel.
 - C Teardrop.
- **38.** What conditions are necessary before ATC can authorize a visual approach?
 - A —You must have the preceding aircraft in sight, and be able to remain in VFR weather conditions.
 - B You must have the airport in sight or the preceding aircraft in sight, and be able to proceed to, and land in IFR conditions.
 - C You must have the airport in sight or a preceding aircraft to be followed, and be able to proceed to the airport in VFR conditions.
- **39.** Which of the following conditions is required before "timed approaches from a holding fix" may be conducted?
 - A —If more than one missed approach procedure is available, only one may require a course reversal.
 - B —If more than one missed approach procedure is available, none may require a course reversal.
 - C —Direct communication between the pilot and the tower must be established prior to beginning the approach.
- **40.** When is radar service terminated during a visual approach?
 - A —Automatically when ATC instructs the pilot to contact the tower.
 - B —Immediately upon acceptance of the approach by the pilot.
 - C When ATC advises, "Radar service terminated; resume own navigation."




Exam Figure 1. Instrument sequence (unusual attitude)



Exam Figure 2. VOR/DME-B (PRB)



Exam Figure 3. VOR RWY 36 (PUC)



Exam Figure 4. ILS RWY 9 (RAL)

Appendix 6

Basic ATD Syllabus



The following lessons allow Basic ATD technology to integrate with existing methods of aviation instruction and training. This syllabus follows the guidelines established in Advisory Circular 61-126, and can be used to reduce the total flight training hours, otherwise accomplished in an aircraft, needed to meet the requirements for an instrument rating under Part 61 or Part 141. Approved BATDs may be used for not more than 10 hours of time that ordinarily would be acquired in an aircraft, a flight simulator, or flight training device. This syllabus also encourages using BATDs to supplement the ground training and allows for 10 hours of time to replace the traditional classroom instructional techniques.

Instructors are encouraged to challenge students by altering the virtual environment within which the lessons take place. This can be done by changing the weather (adding turbulence, altering the winds, or assigning the ceiling and visibility to the approach minimum conditions) and/or simulating a system or engine failure. These changes can be set to occur randomly or within a specified time frame, allowing the students to learn flight and decision-making skills simultaneously. This method, in conjunction with training to the Practical Test Standards at all times, will encourage a willing suspension of disbelief and maximize the value of BATDs used in a curriculum.

The following Modules may be supplemented using an approved BATD, in lieu of an aircraft for the flight training component, or traditional ground instruction for the ground training component. The following Modules are suggested because the associated tasks and placement within the curriculum lend themselves particularly well to an integrated flight training environment:

BATD		
Lesson	PM-S-I	Time Logged
1	Stage 1, Module 1: Ground Training	1.0 hour
2	Stage 1, Module 2: Flight Training	1.0 hour
3	Stage 1, Module 3: Ground Training	1.0 hour
4	Stage 1, Module 4: Ground Training	1.0 hour
5	Stage 1, Module 4: Flight Training	1.0 hour
6	Stage 1, Module 5: Ground Training	1.5 hours
7	Stage 2, Module 2: Ground Training	1.0 hour
8	Stage 2, Module 2: Flight Training	1.0 hour
9	Stage 2, Module 3: Ground Training	1.0 hour
10	Stage 2, Module 3: Flight Training	1.0 hour
11	Stage 2, Module 4: Ground Training	1.0 hour
12	Stage 3, Module 1: Ground Training	1.5 hours
13	Stage 3, Module 1: Flight Training	1.5 hours
14	Stage 3, Module 3: Flight Training	1.0 hour
15	Stage 4, Module 1: Flight Training	1.5 hours
16	Stage 4, Module 2: Ground Training	1.0 hour
17	Stage 4, Module 3: Flight Training	1.0 hour
18	Stage 5, Module 4: Flight Training	1.0 hour
Total time logged in BATD:		10.0 hours Ground Training
		10.0 hours Flight Training

Minimum 141 Requirements: Dual, 1.0 hour BATD

Objective:

For the student to become familiar with BATD features, and develop an understanding of instrument scanning techniques.

Content:	
BATD orientation	
Physical controls	
Virtual controls	
Instrument cockpit check	
Instrument scanning technique	
Selective radial scan	
Basic T-scan	
Other scans	

Assignment:

Instrument Flying, Chapters 1 and 2

Completion Standards:

The student must successfully complete all review questions following the assigned reading.

BATD / Lesson 2

Minimum 141 Requirements: Dual, 1.0 hour BATD

Objective:

For the student to become proficient in flight by reference to instruments while maintaining changes of airspeed, and constant airspeed climbs and descents.

Content:

Instrument scan
Straight-and-level flight
Standard rate turns
Review effects of change of airspeed
Constant airspeed climbs and descents
Pattern B
Pattern D
Pattern F
Review ground tracks

Assignment:

Instrument Flying, Chapters 3 and 4

Completion Standards:

The student must effectively control the airplane within 200 feet, 20 degrees, and 20 knots; perform standard rate turns; and successfully complete all review questions following the assigned reading.

Minimum 141 Requirements: Dual, 1.0 hour BATD

BATD / Lesson 3

Objective:

For the student to gain understanding of the straight climb and descent, and turns, during instrument flight.

Content:			
The straight climb			
Climbing at different airspeeds Variations on entering the climb			
		Climbing at a particular rate	
The straight descent			
Climbing away from a descent			
Descending at a particular rate			
The precision approach			
Turning			
Bank angle and rate of turn			
Roll-in and roll-out rate			
The medium level turn			
Instrument turns to a specific heading			
Climbing turns Descending turns Steep level turn			
		Steep climbing turn	
		Steep descending turn	
Pattern A			
Pattern G			
Review ground tracks			
Assignment:			
Instrument Flying, Chapters 5 and 6			
Completion Standards:			
The student must successfully complete all review questions following the assigned reading, and effect 200 feet, 20 degrees, and 20 knots, keeping all turns coordinated.	ectively control the airplane within		
BATD / Lesson 4	11 Requirements: Dual, 1.0 hour BATD		
Objective: For the student to understand how to recognize and recover from unusual attitudes.			
Content:			
Unusual attitudes			
Recognizing an unusual attitude			
Nose-low attitudes with increasing airspeed			

Assignment:

Pattern D

Instrument Flying, Chapter 7

___ Review ground tracks

Nose-high attitude with decreasing airspeedNose-high, and approaching the stall

Completion Standards:

The student must successfully complete all review questions following the assigned reading; effectively control the airplane within 200 feet, 20 degrees, and 20 knots; and recover from unusual attitudes in a timely manner.

Minimum 141 Requirements: Dual, 1.0 hour BATD

Objective:

For the student to become proficient at performing timed turns to magnetic compass headings, and at constant-rate climbs and descents, flying solely by reference to instruments.

Content:	
	Standard rate turns
	Steep turns
	Time turns to magnetic compass headings
	Pattern A
	Pattern C
	Review ground tracks

Assignment:

Instrument Flying, Chapter 8

Completion Standards:

This lesson is complete when the student can maintain flight within 150 feet, 15 degrees, and 15 knots, and successfully complete all review questions following the assigned reading.

BATD / Lesson 6

Minimum 141 Requirements: Dual, 1.5 hour BATD

Objective:

For the student to gain understanding of normal instrument flight on a partial panel, and continue performing instrument flight training patterns.

Content:

System failures
Loss of heading and/or attitude indicators
Interpreting pitch attitude on a partial panel
Interpreting bank attitude on a partial panel
Straight-and-level flight on a partial panel
Climbing on a partial panel
Descending on a partial panel
Turning on a partial panel
Recovery from unusual attitudes on a partial panel
Seven Ts
Performance sheet
Pattern D
Pattern E
Review ground tracks

Assignment:

Instrument Flying, Chapters 9 and 10

Completion Standards:

The student must successfully complete all review questions following the assigned reading, and maintain flight within 150 feet, 15 degrees, and 15 knots, keeping all turns coordinated.

Minimum 141 Requirements: Dual, 1.0 hour BATD

BATD / Lesson 7

Objective:

For the student to gain operational understanding of DME and the VOR.

O	and.
Cont DME	
DME	DME measures slant distance
	DME uses the principle of secondary radar
	DME frequencies
	VOR/DME pairing
	ILS/DME pairing
	DME arcs
VOR	
	VOR radial
	How the VOR works
	The range of a VOR
	VORs on aeronautical charts
	VOR/DME, TACAN, VORTAC
	VOR cockpit instrument
	TO or FROM
	Preparing the OBI for use
	Orientation using the VOR
	Tracking using the VOR
	Intercepting a course using the VOR
	The VOR instrument approach
	Pattern J
	Review ground tracks

Assignment:

Instrument Flying, Chapter 14

Completion Standards:

The student must successfully complete all review questions following the assigned reading, and maintain flight within 150 feet, 15 degrees, and 15 knots, keeping all turns coordinated.

BATD / Lesson 8

Minimum 141 Requirements: Dual, 1.0 hour BATD

Objective:

For the student to become proficient at VOR navigation, and at intercepting and tracking VOR/VORTAC radials and DME arcs.

Content:

VOR/VOT accuracy checks
VOR navigation techniques
Homing a VOR radial
Intercepting and tracking VOR/VORTAC radials
DME arcs
VOR full approach
Pattern H
Review ground tracks

Assignment:

Instrument Flying, Chapter 12

Completion Standards:

The student must navigate using VORs, and intercept and track VOR/VORTAC radials and DME arcs. Flight should be maintained within 150 feet altitude, 15 knots airspeed, and 15 degrees heading, and the student must successfully complete all review questions following the assigned reading.

Minimum 141 Requirements: Dual, 1.0 hour BATD

Objective:

For the student to gain operational understanding of the NDB and ADF, the relative bearing indicator (RBI), the radio magnetic indicator (RMI), and the rotatable-card ADF.

Content:	
The NDB and ADF	
The Automatic Direction Finder	
The ADF Cockpit Display	
The Relative Bearing Indicator (RBI)	
Operational use of the RBI	
Tracking	
The NDB approach	
The Radio Magnetic Indicator (RMI) and Rotatable-card ADF	
Orientation using the RMI	
The initial interception of course	
Maintaining course	
Review ground tracks	
Assignment:	
Instrument Flying, Chapter 11	
BATD / Lesson 10	Minimum 141 Requirements: Dual, 1.0 hour BATD
Objective: For the student to become familiar with radar, RNAV, and VHF direction intercepting and tracking NDB bearings.	n finding, and become proficient with NDB navigation and
Content:	
ADF orientation	
NDB navigation	
Homing with an NDB	
Tracking with an NDB	
Intercepting NDB bearings	
NDB full approach	
Radar	
RNAV	

Assignment:

Instrument Flying, Chapters 10 and 15

Completion Standards:

VHF direction findingReview ground tracks

The student must navigate using the NDB, and intercept and track NDB bearings. Flight should be maintained within 150 feet altitude, 15 knots airspeed, and 15 degrees heading, and the student must successfully complete all review questions following the assigned reading.

BATD / Lesson 11 Minimum 141 Requirements: Dual, 1.0 hour BATD

Objective:

For the student to gain operational understanding of the Instrument Landing System (ILS).

CUII	tent.
	Flying the localizer
	Flying the localizer with an HSI
	Flying the localizer backcourse
	Flying the glide slope
	Marker beacons
	Approach lights
	Precision instrument runway markings
	Inoperative ILS components
	ILS full approach
	Simultaneous approaches
	Wind shear on the approach
	Pattern I
	Review ground tracks

Assignment:

Instrument Flying, Chapter 13

Completion Standards:

The student must successfully complete all review questions following the assigned reading, and maintain coordinated flight within 150 feet, 15 degrees, and 15 knots.

BATD / Lesson 12

Minimum 141 Requirements: Dual, 1.5 hour BATD

Objective:

For the student to gain understanding of holding patterns, procedure turns, and DME arcs.

Content:

Holding patterns
Tracking
Corrections for wind
Entering a holding pattern
Holding speeds
Procedure turns
The 45/180 degree procedure turn
The 80/260 degree procedure turn
The base or teardrop turn
Positioning in a racetrack pattern
DME arcs
Pattern H
Review ground tracks

Assignment:

Instrument Flying, Chapter 28

Completion Standards:

The student must successfully complete all review questions following the assigned reading, and maintain coordinated flight within 150 feet, 15 degrees, and 15 knots.

Minimum 141 Requirements: Dual, 1.5 hour BATD

Objective:

For the student to be become proficient with entries to holds, and holding at VORs.

Assignment:

Instrument Flying, Chapter 27

Completion Standards:

The student must understand entries to holds, and perform a hold using a VOR. The student should maintain altitude within 150 feet, airspeed within 15 knots, and heading within 15 degrees, and complete all review questions following the assigned reading.

BATD / Lesson 14

Minimum 141 Requirements: Dual, 1.0 hour BATD

Objective:

For the student to become proficient in performing holds at an NDB.

Content:

Perform NDB hold, standard and nonstandard turns
Perform NDB hold, partial panel
Review VOR holding procedures
Intersection holding
NDB full approach
Review ground tracks

Assignment:

Instrument Flying, Chapter 28

Completion Standards:

The student must perform holds at an NDB using the correct entry and timing procedures, and maintain orientation at all times. The student must maintain altitude within 150 feet, airspeed within 15 knots, and heading within 15 degrees, and complete all review questions following the assigned reading.

BATD / Lesson 15

Minimum 141 Requirements: Dual, 1.5 hour BATD

Objective:

For the student to become proficient in performing VOR approaches—full, radar vectors, straight-in and missed approach techniques.

Content:
Full VOR approach
VOR missed approach
Radar vectors VOR approach, using straight-in minimum
Partial panel VOR radar vectors approach
Partial panel VOR missed approach
Review ground tracks

Assignment:

Instrument Flying, Chapter 29

Completion Standards:

The student must perform VOR approaches (full, radar vectors, straight-in, missed approach) within 100 feet of altitude, and 3 dots of the CDI needle. The student must comply with ATC/instructor clearances, perform all procedures according to the approach plates, and successfully complete all review questions following the assigned reading.

BATD / Lesson 16

Minimum 141 Requirements: Dual, 1.0 hour BATD

Objective:

For the student to become proficient in performing NDB approaches, demonstrating full, radar vectors, straight-in, and missed approach techniques, and be introduced to instrument departure procedures.

Content:

DPs
NDB full approach
NDB missed approach
NDB radar vector approach, using straight-in minimums
NDB partial panel, radar vector approach
NDB partial panel missed approach
Review ground tracks

Assignment:

Instrument Flying, Chapter 26

Completion Standards:

The student must perform NDB full, radar vectors, missed, and straight-in approaches while maintaining flight within 100 feet above minimum descent altitude, not descending lower until a decision to land has been made. The student must maintain the flight within 10 degrees of the runway at the missed approach point. Student should complete all review questions following the assigned reading.

Minimum 141 Requirements: Dual, 1.0 hour BATD

Objective:

For the student to become proficient in performing ILS and localizer approaches, including missed approach, full and radar vector techniques.

Content:
ILS full approach
ILS missed approach
ILS radar vector approach, using straight-in minimum
Localizer radar vector approach
Localizer back course full approach
Localizer missed approach
Review ground tracks

Assignment:

Instrument Flying, Chapter 25

Completion Standards:

The student must perform ILS full and radar vector approaches, and localizer approaches without descending below the minimum altitudes; maintain airspeed within 10 knots of approach speed; and arrive at the MDA prior to the MAP and perform a prompt missed approach at the accurate time. ILS approach must maintain glide slope within less than full needle deflection, and student must complete all review questions following the assigned reading.

BATD / Lesson 18

Minimum 141 Requirements: Dual, 1.0 hour BATD

Objective:

For the student to practice instrument procedures in preparation for the checkride.

Content:

Departure procedures
Navigation to airway
Steep turns
Recovery from unusual attitudes
VOR holding
ADF holding (partial panel)
Systems and equipment malfunctions
VOR full approach (partial panel)
NDB full approach
Missed approach procedures
ILS radar vectors approach
Review ground tracks

Assignment:

Instrument Practical Test Standards

Completion Standards:

The student must perform all instrument procedures within Practical Test Standards and within specified minimums.

Notes



The Pilot's Manual

Instrument Rating Syllabus

This syllabus presents the most integrated and comprehensive flight training program available, along with many advantages:

- Based on *The Pilot's Manual Series*. Schools, instructors, or students can **choose** to supplement the program with other texts, DVDs, etc. This allows freedom to teach or learn the material in the most effective way—on an individual basis.
- All Part 141 requirements have been met in a logical and user-friendly manner.
- Flight lessons are presented side-by-side with their coordinating ground lessons. This integrated approach provides the most efficient path to completion, and is easier to follow than separate ground and flight training programs.
- A complete Basic Aviation Training Device (ATD) syllabus details how to integrate a Basic ATD into your curriculum, supplementing your current training methods for a more efficient training program.
- Flexible enough to be effective for all programs.
- Includes "Optional Reviews" in each stage—allowing the student to review material when necessary, yet still follow the syllabus and maintain progress.
- Every syllabus in the series includes:

Instructor endorsements

Stage exams

Airman Certificate Rating Application and checkride checklist

Curriculums available for The Pilot's Manual Series:

Private Pilot Syllabus (#ASA-PM-S-P) Instrument Rating Syllabus (#ASA-PM-S-I) Commercial Pilot Syllabus (#ASA-PM-S-C)

Aviation Supplies & Academics, Inc.

7005 132nd Place SE Newcastle, Washington 98059 www.asa2fly.com





